



ANSI/TIA-568.2-D-2018
APPROVED: SEPTEMBER 20, 2018

TIA STANDARD

Balanced Twisted-Pair Telecommunications Cabling and Components Standard

TIA-568.2-D

September 2018

**TELECOMMUNICATIONS
INDUSTRY ASSOCIATION**

tiaonline.org

This is a preview. [Click here to purchase the full publication.](#)

NOTICE

TIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. The existence of such Standards and Publications shall not in any respect preclude any member or non-member of TIA from manufacturing or selling products not conforming to such Standards and Publications. Neither shall the existence of such Standards and Publications preclude their voluntary use by Non-TIA members, either domestically or internationally.

Standards and Publications are adopted by TIA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, TIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard or Publication.

This Standard does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

Any use of trademarks in this document are for information purposes and do not constitute an endorsement by TIA or this committee of the products or services of the company.

(From Project No. ANSI/TIA-PN-568.2-D-D2, formulated under the cognizance of the TIA TR-42 Telecommunications Cabling Systems, TR-42.7 Subcommittee on Telecommunications Copper Cabling Systems (568).

Published by
©TELECOMMUNICATIONS INDUSTRY ASSOCIATION
Technology and Standards Department
1320 N. Courthouse Road, Suite 200
Arlington, VA 22201 U.S.A.

**PRICE: Please refer to current Catalog of
TIA TELECOMMUNICATIONS INDUSTRY ASSOCIATION STANDARDS
AND ENGINEERING PUBLICATIONS
or call IHS, USA and Canada
(1-877-413-5187) International (303-397-2896)
or search online at <http://www.tiaonline.org/standards/catalog/>**

All rights reserved
Printed in U.S.A.

NOTICE OF COPYRIGHT

This document is copyrighted by TIA.

Reproduction of these documents either in hard copy or soft copy (including posting on the web) is prohibited without copyright permission. For copyright permission to reproduce portions of this document, please contact the TIA Standards Department or go to the TIA website (www.tiaonline.org) for details on how to request permission. Details are located at:

<http://www.tiaonline.org/standards/catalog/info.cfm#copyright>

or

Telecommunications Industry Association
Technology & Standards Department
1320 N. Courthouse Road, Suite 200
Arlington, VA 22201 USA
+1.703.907.7700

Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. For information, contact

IHS
15 Inverness Way East
Englewood, CO 80112-5704
or call
USA and Canada (1.800.525.7052)
International (303.790.0600)

NOTICE OF DISCLAIMER AND LIMITATION OF LIABILITY

The document to which this Notice is affixed (the "Document") has been prepared by one or more Engineering Committees or Formulating Groups of the Telecommunications Industry Association ("TIA"). TIA is not the author of the Document contents, but publishes and claims copyright to the Document pursuant to licenses and permission granted by the authors of the contents.

TIA Engineering Committees and Formulating Groups are expected to conduct their affairs in accordance with the TIA Procedures for American National Standards and TIA Engineering Committee Operating Procedures, the current and predecessor versions of which are available at <http://www.tiaonline.org/standards/ec-procedures>) /TIA's function is to administer the process, but not the content, of document preparation in accordance with the Manual and, when appropriate, the policies and procedures of the American National Standards Institute ("ANSI"). TIA does not evaluate, test, verify or investigate the information, accuracy, soundness, or credibility of the contents of the Document. In publishing the Document, TIA disclaims any undertaking to perform any duty owed to or for anyone.

If the Document is identified or marked as a project number (PN) document, or as a standards proposal (SP) document, persons or parties reading or in any way interested in the Document are cautioned that: (a) the Document is a proposal; (b) there is no assurance that the Document will be approved by any Committee of TIA or any other body in its present or any other form; (c) the Document may be amended, modified or changed in the standards development or any editing process.

The use or practice of contents of this Document may involve the use of intellectual property rights ("IPR"), including pending or issued patents, or copyrights, owned by one or more parties. TIA makes no search or investigation for IPR. When IPR consisting of patents and published pending patent applications are claimed and called to TIA's attention, a statement from the holder thereof is requested, all in accordance with the Manual. TIA takes no position with reference to, and disclaims any obligation to investigate or inquire into, the scope or validity of any claims of IPR. TIA will neither be a party to discussions of any licensing terms or conditions, which are instead left to the parties involved, nor will TIA opine or judge whether proposed licensing terms or conditions are reasonable or non-discriminatory. TIA does not warrant or represent that procedures or practices suggested or provided in the Manual have been complied with as respects the Document or its contents.

If the Document contains one or more Normative References to a document published by another organization ("other SSO") engaged in the formulation, development or publication of standards (whether designated as a standard, specification, recommendation or otherwise), whether such reference consists of mandatory, alternate or optional elements (as defined in the TIA Procedures for American National Standards) then (i) TIA disclaims any duty or obligation to search or investigate the records of any other SSO for IPR or letters of assurance relating to any such Normative Reference; (ii) TIA's policy of encouragement of voluntary disclosure (see TIA Procedures for American National Standards Annex C.1.2.3) of Essential Patent(s) and published pending patent applications shall apply; and (iii) Information as to claims of IPR in the records or publications of the other SSO shall not constitute identification to TIA of a claim of Essential Patent(s) or published pending patent applications.

TIA does not enforce or monitor compliance with the contents of the Document. TIA does not certify, inspect, test or otherwise investigate products, designs or services or any claims of compliance with the contents of the Document.

ALL WARRANTIES, EXPRESS OR IMPLIED, ARE DISCLAIMED, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES CONCERNING THE ACCURACY OF THE CONTENTS, ITS FITNESS OR APPROPRIATENESS FOR A PARTICULAR PURPOSE OR USE, ITS MERCHANTABILITY AND ITS NONINFRINGEMENT OF ANY THIRD PARTY'S INTELLECTUAL PROPERTY RIGHTS. TIA EXPRESSLY DISCLAIMS ANY AND ALL RESPONSIBILITIES FOR THE ACCURACY OF THE CONTENTS AND MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING THE CONTENT'S COMPLIANCE WITH ANY APPLICABLE STATUTE, RULE OR REGULATION, OR THE SAFETY OR HEALTH EFFECTS OF THE CONTENTS OR ANY PRODUCT OR SERVICE REFERRED TO IN THE DOCUMENT OR PRODUCED OR RENDERED TO COMPLY WITH THE CONTENTS.

TIA SHALL NOT BE LIABLE FOR ANY AND ALL DAMAGES, DIRECT OR INDIRECT, ARISING FROM OR RELATING TO ANY USE OF THE CONTENTS CONTAINED HEREIN, INCLUDING WITHOUT LIMITATION ANY AND ALL INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF BUSINESS, LOSS OF PROFITS, LITIGATION, OR THE LIKE), WHETHER BASED UPON BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE FOREGOING NEGATION OF DAMAGES IS A FUNDAMENTAL ELEMENT OF THE USE OF THE CONTENTS HEREOF, AND THESE CONTENTS WOULD NOT BE PUBLISHED BY TIA WITHOUT SUCH LIMITATIONS.

[This is a preview. Click here to purchase the full publication.](#)

Balanced Twisted-Pair Telecommunications Cabling and Components Standard

TABLE OF CONTENTS

1	SCOPE	1
2	NORMATIVE AND INFORMATIVE REFERENCES	1
3	DEFINITIONS, ABBREVIATIONS AND ACRONYMS, UNITS OF MEASURE	4
3.1	General	4
3.2	Definitions	4
3.3	Acronyms and abbreviations	6
3.4	Units of measure	7
3.5	Variables	7
4	GENERAL	8
4.1	Backward compatibility and interoperability	8
4.2	Recognized categories	8
5	MECHANICAL REQUIREMENTS	9
5.1	Channel mechanical performance	9
5.2	Permanent link mechanical performance	9
5.3	Horizontal cable (cabling subsystem 1) mechanical performance	9
5.3.1	Insulated conductor	9
5.3.2	Pair assembly	9
5.3.3	Insulated conductor color code	9
5.3.4	Horizontal cable diameter	10
5.3.5	Horizontal cable breaking strength	10
5.3.6	Horizontal cable cold bend radius	10
5.3.7	Horizontal cable performance marking	10
5.3.8	Horizontal cable core wrap	10
5.3.9	Horizontal cable core shield (screened only)	10
5.3.10	Horizontal cable dielectric strength	11
5.4	Bundled and hybrid cable mechanical performance	11
5.5	Cord cable mechanical performance	11
5.5.1	Cord cable general	11
5.5.2	Cord cable flex life (screened only)	11
5.6	Backbone cable (cabling subsystem 2 and 3) mechanical performance	11
5.6.1	Backbone cable insulated conductor	11
5.6.2	Pair assembly	11
5.6.3	Insulated conductor color code	12
5.6.4	Core assembly	12
5.6.5	Core shield	12
5.6.6	Jacket	12
5.6.7	Performance marking	12
5.6.8	Dielectric strength	12
5.6.9	Core shield resistance	12
5.7	Connecting hardware mechanical performance	12
5.7.1	Connecting hardware environmental compatibility	12
5.7.2	Connecting hardware mounting	13
5.7.3	Connecting hardware mechanical termination density	13
5.7.4	Connecting hardware design	13
5.7.5	Work area telecommunications/equipment outlet/connector	14
5.7.6	Performance marking	15

5.7.7	Connecting hardware reliability	15
5.7.8	Connecting hardware shield mating interface (screened only)	15
5.7.9	Connecting hardware shield continuity (screened only)	16
5.8	Cords and jumpers mechanical performance	16
5.8.1	Cords and jumpers insulated conductor	16
5.8.2	Cords and jumpers insulated conductor color codes	16
6	TRANSMISSION REQUIREMENTS	17
6.1	General	17
6.1.1	Return loss	17
6.1.2	Insertion loss	17
6.1.3	NEXT loss	17
6.1.4	PSNEXT loss	17
6.1.5	FEXT loss	17
6.1.6	ACRF	18
6.1.7	PSACRF	18
6.1.8	TCL	18
6.1.9	ELTCTL	19
6.1.10	Coupling attenuation	19
6.1.11	Propagation delay	19
6.1.12	Propagation delay skew	19
6.1.13	PSANEXT loss	19
6.1.14	Average PSANEXT loss	20
6.1.15	PSAFEXT loss (connecting hardware only)	20
6.1.16	PSAACRF	20
6.1.17	Average PSAACRF	21
6.2	Channel configurations	22
6.2.1	Category 3 through category 6A channel configuration	22
6.2.2	Category 8 channel configuration	23
6.3	Channel transmission performance	24
6.3.1	Category 3 through category 6A dc loop resistance	24
6.3.2	Category 8 channel dc loop resistance	24
6.3.3	Channel dc resistance unbalance	24
6.3.4	Channel dc resistance unbalance between pairs	24
6.3.5	Channel mutual capacitance	25
6.3.6	Channel capacitance unbalance: pair-to-ground	25
6.3.7	Channel characteristic impedance and structural return loss (SRL)	25
6.3.8	Channel return loss	25
6.3.9	Channel insertion loss	26
6.3.10	Channel NEXT loss	29
6.3.11	Channel PSNEXT loss	31
6.3.12	Channel FEXT loss	32
6.3.13	Channel ACRF	33
6.3.14	Channel PSFEXT loss	34
6.3.15	Channel PSACRF	35
6.3.16	Channel TCL	36
6.3.17	Channel TCTL	37
6.3.18	Channel ELTCTL	38
6.3.19	Category 3 through 6A channel coupling attenuation	39
6.3.20	Category 8 channel coupling attenuation	39
6.3.21	Channel Propagation delay	40
6.3.22	Channel propagation delay skew	41
6.3.23	Channel ANEXT loss	41
6.3.24	Channel PSANEXT loss	42
6.3.25	Channel Average PSANEXT loss	44

6.3.26	Channel AFEXT loss	45
6.3.27	Channel PSAFEXT loss.....	45
6.3.28	Channel PSAACRF.....	45
6.3.29	Channel average PSAACRF	46
6.4	Permanent link transmission performance	48
6.4.1	Category 3 through 6A permanent link dc loop resistance.....	49
6.4.2	Category 8 permanent link dc loop resistance	49
6.4.3	Category 3 through 6A permanent link dc resistance unbalance	49
6.4.4	Category 8 permanent link dc resistance unbalance within a pair	49
6.4.5	Category 8 permanent link dc resistance unbalance between pairs	49
6.4.6	Permanent link mutual capacitance.....	50
6.4.7	Permanent link capacitance unbalance: pair-to-ground	50
6.4.8	Permanent link characteristic impedance and structural return loss (SRL).....	50
6.4.9	Permanent link return loss	50
6.4.10	Permanent link Insertion loss.....	52
6.4.11	Permanent link NEXT loss	54
6.4.12	Permanent link PSNEXT loss	56
6.4.13	Permanent link FEXT loss	57
6.4.14	Permanent link ACRF	58
6.4.15	Permanent link PSFEXT loss	59
6.4.16	Permanent link PSACRF	60
6.4.17	Permanent link TCL	61
6.4.18	Permanent link TCTL.....	62
6.4.19	Permanent link ELTCTL	62
6.4.20	Permanent link coupling attenuation.....	63
6.4.21	Permanent link propagation delay	64
6.4.22	Permanent link propagation delay skew	65
6.4.23	Permanent link ANEXT loss	65
6.4.24	Permanent link PSANEXT loss.....	66
6.4.25	Permanent link average PSANEXT Loss	68
6.4.26	Permanent link AFEXT loss.....	69
6.4.27	Permanent link PSAFEXT loss	69
6.4.28	Permanent link PSAACRF	70
6.4.29	Permanent link average PSAACRF loss	70
6.5	Category 8 direct attach channel transmission performance	72
6.5.1	Category 8 direct attach channel return loss	72
6.5.2	Category 8 direct attach channel insertion loss	73
6.5.3	Category 8 direct attach channel NEXT loss	74
6.5.4	Category 8 direct attach channel PSNEXT loss	75
6.5.5	Category 8 direct attach channel ACRF	76
6.5.6	Category 8 direct attach channel PSACRF	78
6.5.7	Category 8 direct attach channel propagation delay	79
6.5.8	Category 8 direct attach channel propagation delay skew	79
6.6	Horizontal cable transmission performance	80
6.6.1	Horizontal cable dc resistance	80
6.6.2	Horizontal cable dc resistance unbalance	80
6.6.3	Category 8 horizontal cable dc resistance unbalance pair-to-pair	80
6.6.4	Horizontal cable Mutual capacitance	80
6.6.5	Horizontal cable Capacitance unbalance: pair-to-ground.....	81
6.6.6	Horizontal cable Characteristic impedance and structural return loss (SRL).....	81
6.6.7	Horizontal cable Return loss.....	83
6.6.8	Horizontal cable Insertion loss.....	84
6.6.9	Horizontal cable NEXT loss	86
6.6.10	Horizontal cable PSNEXT loss	87

6.6.11	Horizontal cable FEXT loss	88
6.6.12	Horizontal cable ACRF	88
6.6.13	Horizontal cable PSFEXT loss.....	89
6.6.14	Horizontal cable PSACRF	89
6.6.15	Horizontal cable TCL	90
6.6.16	Horizontal cable TCTL	91
6.6.17	Horizontal cable ELTCTL.....	91
6.6.18	Horizontal cable coupling attenuation (screened only).....	92
6.6.19	Horizontal cable Propagation delay	92
6.6.20	Category 8 horizontal cable propagation delay	93
6.6.21	Category 3 through 6A horizontal cable propagation delay skew	94
6.6.22	Category 8 horizontal cable propagation delay skew	94
6.6.23	Horizontal cable surface transfer impedance (screened only)	94
6.6.24	Horizontal cable ANEXT loss.....	95
6.6.25	Horizontal cable PSANEXT loss.....	95
6.6.26	Horizontal cable Average PSANEXT loss	96
6.6.27	Horizontal cable AFEXT loss	96
6.6.28	Horizontal cable PSAFEXT loss	96
6.6.29	Horizontal cable PSAACRF	96
6.6.30	Category 8 horizontal cable PSAACRF	97
6.6.31	Horizontal cable Average PSAACRF.....	97
6.7	Bundled and hybrid cable transmission performance.....	97
6.7.1	Bundled and hybrid cable PSNEXT loss	98
6.7.2	Bundled and hybrid cable PSNEXT loss from internal and external pairs (category 6 cables only)	98
6.8	Cord cable transmission performance	98
6.8.1	Cord cable dc resistance	98
6.8.2	Cord cable return loss.....	99
6.8.3	Category 3 through 6A cord cable insertion loss.....	100
6.8.4	Category 8 cord cable insertion loss.....	101
6.9	Backbone cable transmission performance.....	102
6.9.1	Backbone cable insertion loss	102
6.9.2	Backbone cable NEXT loss	102
6.9.3	Category 3 through 6A backbone cable PSNEXT loss	103
6.9.4	Category 3 through 6A backbone cable ACRF	105
6.9.5	Category 3 through 6A backbone cable PSACRF.....	107
6.9.6	Category 3 through 6A backbone cable propagation delay	108
6.9.7	Category 5e through 6A backbone cable propagation delay skew	108
6.10	Connecting hardware transmission performance	109
6.10.1	Connecting hardware dc resistance	109
6.10.2	Connecting hardware dc contact resistance.....	110
6.10.3	Connecting hardware dc resistance unbalance.....	110
6.10.4	Connecting hardware mutual capacitance	110
6.10.5	Connecting hardware capacitance unbalance: pair-to-ground.....	110
6.10.6	Connecting hardware characteristic impedance and structural return loss (SRL)	110
6.10.7	Connecting hardware return loss.....	110
6.10.8	Connecting hardware insertion loss.....	112
6.10.9	Connecting hardware NEXT loss.....	113
6.10.10	Connecting hardware PSNEXT loss.....	114
6.10.11	Connecting hardware FEXT loss	115
6.10.12	Connecting hardware ACRF	116
6.10.13	Connecting hardware PSFEXT loss	116
6.10.14	Connecting hardware PSACRF	116
6.10.15	Connecting hardware TCL.....	117

6.10.16	Connecting hardware TCTL.....	118
6.10.17	Connecting hardware ELTCTL	118
6.10.18	Connecting hardware coupling attenuation (screened only)	119
6.10.19	Connecting hardware propagation delay	119
6.10.20	Connecting hardware propagation delay skew.....	119
6.10.21	Connecting hardware shield transfer impedance (screened only)	119
6.10.22	Connecting hardware ANEXT loss	120
6.10.23	Connecting hardware PSANEXT loss	120
6.10.24	Connecting hardware Average PSANEXT loss.....	121
6.10.25	Connecting hardware AFEXT loss.....	121
6.10.26	Connecting hardware PSAFEXT loss.....	122
6.10.27	Connecting hardware PSAACRF.....	122
6.10.28	Connecting hardware Average PSAACRF	123
6.11	Cord transmission performance.....	123
6.11.1	Cord return loss	123
6.11.2	Cord NEXT loss	124
Annex A	(normative) - Reliability testing of connecting hardware	128
A.1	General	128
A.2	Modular plugs and jacks	128
A.3	Solderless connections	130
A.4	Other connecting hardware	130
A.5	Informative examples of referenced test schedules	132
A.5.1	General	132
A.5.2	Non-accessible IDC, IEC 60352-3.....	132
A.5.3	Modular plug and jack, IEC 60603-7 series.....	133
Annex B	(normative) - Measurement requirements (general)	134
B.1	General test configuration.....	134
B.2	Termination of a cable DUT to test system	134
B.2.1	Interconnections between the device under test (DUT) and the calibration plane	134
B.2.1.1	Test lead return loss requirements	135
B.3	Ground plane requirements	137
B.4	Network analyzer requirements	137
B.5	Measurement points and spacing.....	137
B.6	Impedance matching terminations.....	138
B.6.1	Resistor terminations	138
B.6.2	Termination return loss performance at the calibration plane	138
B.6.3	Termination TCL performance at the calibration plane	139
B.6.4	Calibration methods.....	139
B.6.4.1	Two-port calibration of the test system.....	139
B.6.4.2	One-port calibration of the test system.....	140
B.7	General calibration plane	140
B.7.1	Calibration references.....	140
B.7.1.1	50 Ω and 100 Ω calibration reference load requirements	140
B.7.1.2	Calibration reference load return loss requirement	141
B.7.2	Typical test equipment performance parameters	141
Annex C	(normative) - Cabling and component test procedures using baluns	142
C.1	Measurement test setup and apparatus	142
C.1.1	Balun terminations	142
C.1.2	Balun requirements.....	142
C.2	Testing of cabling.....	144