



TIA STANDARD

Administration Standard for Telecommunications Infrastructure

TIA-606-B (Revision of TIA-606-A)

June 2012

TELECOMMUNICATIONS INDUSTRY ASSOCIATION

tiaonline.org

This is a preview. Click here to purchase the full publication.

NOTICE

TIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. The existence of such Standards and Publications shall not in any respect preclude any member or non-member of TIA from manufacturing or selling products not conforming to such Standards and Publications. Neither shall the existence of such Standards and Publications preclude their voluntary use by Non-TIA members, either domestically or internationally.

Standards and Publications are adopted by TIA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, TIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard or Publication.

This Standard does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

(From Project No. ANSI/TIA-PN-606-B, formulated under the cognizance of the TIA TR-42 Telecommunications Cabling Systems, TR-42.6 Subcommittee on Telecommunications Infrastructure and Equipment Administration (606).

Published by

©TELECOMMUNICATIONS INDUSTRY ASSOCIATION
Standards and Technology Department
2500 Wilson Boulevard
Arlington, VA 22201 U.S.A.

PRICE: Please refer to current Catalog of
TIA TELECOMMUNICATIONS INDUSTRY ASSOCIATION STANDARDS
AND ENGINEERING PUBLICATIONS
or call IHS, USA and Canada
(1-877-413-5187) International (303-397-2896)
or search online at http://www.tiaonline.org/standards/catalog/

All rights reserved Printed in U.S.A.

NOTICE OF COPYRIGHT

This document is copyrighted by the TIA.

Reproduction of these documents either in hard copy or soft copy (including posting on the web) is prohibited without copyright permission. For copyright permission to reproduce portions of this document, please contact the TIA Standards Department or go to the TIA website (www.tiaonline.org) for details on how to request permission. Details are located at:

http://www.tiaonline.org/standards/catalog/info.cfm#copyright

or

Telecommunications Industry Association Technology & Standards Department 2500 Wilson Boulevard, Suite 300 Arlington, VA 22201 USA +1.703.907.7700

Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. For information, contact

IHS
15 Inverness Way East
Englewood, CO 80112-5704
or call
USA and Canada (1.800.525.7052)
International (303.790.0600)



NOTICE OF DISCLAIMER AND LIMITATION OF LIABILITY

The document to which this Notice is affixed (the "Document") has been prepared by one or more Engineering Committees or Formulating Groups of the Telecommunications Industry Association ("TIA"). TIA is not the author of the Document contents, but publishes and claims copyright to the Document pursuant to licenses and permission granted by the authors of the contents.

TIA Engineering Committees and Formulating Groups are expected to conduct their affairs in accordance with the TIA Engineering Manual ("Manual"), the current and predecessor versions of which are available at http://www.tiaonline.org/standards/procedures/manuals/TIA's function is to administer the process, but not the content, of document preparation in accordance with the Manual and, when appropriate, the policies and procedures of the American National Standards Institute ("ANSI"). TIA does not evaluate, test, verify or investigate the information, accuracy, soundness, or credibility of the contents of the Document. In publishing the Document, TIA disclaims any undertaking to perform any duty owed to or for anyone.

If the Document is identified or marked as a project number (PN) document, or as a standards proposal (SP) document, persons or parties reading or in any way interested in the Document are cautioned that: (a) the Document is a proposal; (b) there is no assurance that the Document will be approved by any Committee of TIA or any other body in its present or any other form; (c) the Document may be amended, modified or changed in the standards development or any editing process.

The use or practice of contents of this Document may involve the use of intellectual property rights ("IPR"), including pending or issued patents, or copyrights, owned by one or more parties. TIA makes no search or investigation for IPR. When IPR consisting of patents and published pending patent applications are claimed and called to TIA's attention, a statement from the holder thereof is requested, all in accordance with the Manual. TIA takes no position with reference to, and disclaims any obligation to investigate or inquire into, the scope or validity of any claims of IPR. TIA will neither be a party to discussions of any licensing terms or conditions, which are instead left to the parties involved, nor will TIA opine or judge whether proposed licensing terms or conditions are reasonable or non-discriminatory. TIA does not warrant or represent that procedures or practices suggested or provided in the Manual have been complied with as respects the Document or its contents.

If the Document contains one or more Normative References to a document published by another organization ("other SSO") engaged in the formulation, development or publication of standards (whether designated as a standard, specification, recommendation or otherwise), whether such reference consists of mandatory, alternate or optional elements (as defined in the TIA Engineering Manual, 4th edition) then (i) TIA disclaims any duty or obligation to search or investigate the records of any other SSO for IPR or letters of assurance relating to any such Normative Reference; (ii) TIA's policy of encouragement of voluntary disclosure (see Engineering Manual Section 6.5.1) of Essential Patent(s) and published pending patent applications shall apply; and (iii) Information as to claims of IPR in the records or publications of the other SSO shall not constitute identification to TIA of a claim of Essential Patent(s) or published pending patent applications.

TIA does not enforce or monitor compliance with the contents of the Document. TIA does not certify, inspect, test or otherwise investigate products, designs or services or any claims of compliance with the contents of the Document.

ALL WARRANTIES, EXPRESS OR IMPLIED, ARE DISCLAIMED, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES CONCERNING THE ACCURACY OF THE CONTENTS, ITS FITNESS OR APPROPRIATENESS FOR A PARTICULAR PURPOSE OR USE, ITS MERCHANTABILITY AND ITS NONINFRINGEMENT OF ANY THIRD PARTY'S INTELLECTUAL PROPERTY RIGHTS. TIA EXPRESSLY DISCLAIMS ANY AND ALL RESPONSIBILITIES FOR THE ACCURACY OF THE CONTENTS AND MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING THE CONTENT'S COMPLIANCE WITH ANY APPLICABLE STATUTE, RULE OR REGULATION, OR THE SAFETY OR HEALTH EFFECTS OF THE CONTENTS OR ANY PRODUCT OR SERVICE REFERRED TO IN THE DOCUMENT OR PRODUCED OR RENDERED TO COMPLY WITH THE CONTENTS.

TIA SHALL NOT BE LIABLE FOR ANY AND ALL DAMAGES, DIRECT OR INDIRECT, ARISING FROM OR RELATING TO ANY USE OF THE CONTENTS CONTAINED HEREIN, INCLUDING WITHOUT LIMITATION ANY AND ALL INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF BUSINESS, LOSS OF PROFITS, LITIGATION, OR THE LIKE), WHETHER BASED UPON BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE FOREGOING NEGATION OF DAMAGES IS A FUNDAMENTAL ELEMENT OF THE USE OF THE CONTENTS HEREOF, AND THESE CONTENTS WOULD NOT BE PUBLISHED BY TIA WITHOUT SUCH LIMITATIONS.

This is a preview. Click here to purchase the full publication.



ADMINISTRATION STANDARD FOR TELECOMMUNICATIONS INFRASTRUCTURE

Table of Contents

F	Forewordv		
In	ntroductio	n	i)
	Purpose Specificat Metric eq Life of this Use of leg	tion of criteria uivalents of US customary units s Standard gacy identifier formats of an Administration System	(i (()
1	SCOPE		1
2	NORM/	ATIVE REFERENCES	1
3	DEFINI	TION OF TERMS, ACRONYMS AND ABBREVIATIONS, AND UNITS OF	
IVI			
		eneralfinition of terms	
		ronyms and abbreviations	
	3.4 Un	its of measure	8
4	CLASS	ES OF ADMINISTRATION	9
		eneral	
		etermination of class	
	4.2.1 4.2.2	Class 1Class 2	
	4.2.3	Class 3	10
	4.2.4 4.3 Cla	Class 4asses and associated identifiers	1(10
		beling formatsbeling formats	
	4.5 AN	ISI/TIA-606-A and ISO/IEC TR 14763-2-1 compatible formats	11
		ernative label formats	
5	CLASS	1 ADMINISTRATION	17
	5.1 Inf	rastructure identifiers	17
	5.1.1	Telecommunications space identifier	
	5.1.2 5.1.3	Cabinet and rack identifiers	
	5.1.3 5.1.4	Patch panel and termination block identifier	
	5.1.5	Cables between patch panels or termination blocks	
	5.1.6	Administration of pairs, strands, and groupings within a cable	37
	5.1.7	Cabling Subsystem 1 link identifier	38
	5.1.8	Equipment outlet and telecommunications outlet identifiers	40
	5.1.9 5.1.10	Identifiers for consolidation points on Cabling Subsystem 1 links	
	5.1.10	Identifiers for splices on Cabling Subsystem 1 links	
	5.1.12	TMGB identifier	
	5 1 13	TGB identifier	43

į	5.1.14 5.1.15 5.1.16 5.1.17 5.1.18 5.1.19 5.1.20 5.1.21 5.1.22	RGB identifier Mesh-BN identifier BCT identifier TBB identifier GE identifier Identifier for bonding conductor attached to TMGB Identifier for bonding conductor attached to TGB Identifier for bonding conductor attached to mesh-BN Identifier for bonding conductor attached to RGB	
6	CLASS	2 ADMINISTRATION	49
	6.1.1 6.1.2 6.1.3 6.1.4 6.2 Re 6.2.1 6.2.2 6.2.3 6.2.4	Building Cabling Subsystem 2 and 3 cable identifiers Pairs, strands, and grouping identifiers for Building Cabling Subsystem 2 and 3 Building Cabling Subsystem 2 and 3 splice identifier. Firestopping location identifier. Equired records TS records Building Cabling Subsystem 2 and 3 cable records TMGB records TGB records	50 51 51 52 53 53 54
7	6.2.5	Firestopping records	
		rastructure identifiers	
	7.1.1 7.1.2 7.1.3 7.1.4 7.1.5	Campus or site identifier Building identifier Inter-building cable identifier Inter-building cable pair / port identifier Inter-building cable splice identifier equired records Building records Campus cable records	55 56 57 57 58
8	CLASS	4 ADMINISTRATION	59
	3.2 Re	rastructure identifiersequired records	59
		eneral	
Ç	9.2 Ab 9.3 Ou 9.3.1 9.3.2 9.3.3 9.4 Pa 9.4.1 9.4.2 9.4.3 9.4.4	utdoor telecommunications space identifiers TIA-606-A compatible format ISO/IEC compatible format. Implementation and labeling uthway identifiers Intra-space pathway identifiers Intra-building pathway identifiers Building entrance pathway identifiers Outside plant pathway identifiers	60 60 60 61 61 61
(9.4.5	Campus entrance pathway identifiers	

10	COLOR-CODING IDENTIFICATION	.67
10.	1 General	.67
	2 Color-coding of termination fields	
	0.2.1 General	
	3 Color-coding in Cabling Subsystem 1 cabling	
	0.3.1 Cabling Subsystem 1 cabling components	
1	0.3.2 Fiber cabling components	
11	PERMANENT LABELS	.69
11.	1 Visibility and durability	69
11.		
12	ADMINISTRATION SYSTEMS USING RECORDS, LINKAGES & REPORTS	.69
12.	1 General	69
12.		
12.	3 Linkages	.70
12.	· ·	
12.	5 Specialized software	70
13	AUTOMATED INFRASTRUCTURE MANAGEMENT SYSTEMS	70
13.	1 General	70
13.	2 Core functions of automated infrastructure management	.70
13.		
13.	4 Usage recommendations	.71
	ex A (informative) Identification of patch cords, equipment cords, and direct coment-to-equipment cables	70
	Patch cord identifiers	
	1.1 TIA-606-A compatible format	
	1.2 ISO/IEC compatible format	
	2 Equipment cord identifiers	
	2.1 TIA-606-A compatible format	
A.2	2.2 ISO/IEC compatible format	73
A.2	2.3 Implementation and labeling	73
A.3	B Direct equipment to equipment cable identifiers	73
	3.1 TIA-606-A compatible format	
	3.2 ISO/IEC compatible format	
Α.	Labeling of patch cords, equipment cords, and direct equipment-to-equipment cables	.73 73
	5 Alternative Scheme for labeling of patch cords, equipment cords, and direct equipment	
	uipment cables	
Anne	ex B (informative) Telecommunications grounding system identification Example	75
Anne	ex C (informative) Graphical, symbology, and drawing elements of administration .	76
	General	
	2 T-Series drawings	
	3 Layers	
C.4	Line styles, pathway conditions, and drawing notes	.80

C.5 Symbols	
Annex D (informative) Bibliography and References	
List of Tables	
Table 1 - Identifiers grouped by class - ANSI/TIA-606-A compatible	11
Table 2 - Identifiers grouped by class — ISO/IEC TR 14763-2-1 compatible	13
Table 3 - Optional identifiers associated with pathway, device, and space elements	66
Table 4 - Example of termination field color-coding	67
Table 5 - Layers, element descriptions, colors, and line types	78
List of Figures	
Figure 1 – Illustrative relationship between the ANSI/TIA-568-C Series and other relevant T standards	
Figure 2 – A representative model of typical telecommunications infrastructure elements for administration	
Figure 3 – Elements of generic cabling topology	3
Figure 4 – Example of room grid coordinates	19
Figure 5 – Example of cabinet identifiers using grid	20
Figure 6 – Example of non-grid coordinates	22
Figure 7 – Example of telecommunications room cabinet and wall segment identifiers	23
Figure 8 – Sample rack and cabinet labeling	24
Figure 9 – Example of vertically aligned patch panel identification	26
Figure 10 – Labeling example for UTP patch panel with label fields	28
Figure 11 – Labeling example for UTP patch panel without patch panel ID label fields	28
Figure 12 – Labeling example of a fiber patch panel ignoring subpanels	29
Figure 13 – Labeling example of a fiber patch panel with subpanels	29
Figure 14 – Labeling example of a fiber patch panel with optional MDA and HDA identifiers	30
Figure 15 – Example of non-vertically aligned patch panel identification	32
Figure 16 – Optional symbol to indicate powered port or outlet	34
Figure 17 – Sample MPO/LC layout	36
Figure 18 – Sample MPO/LC labeling scheme	36

Figure 19 – Sample MPO/LC labeling at LC end	37
Figure 20 - Example of color-coding of termination fields	68
Figure 21 – Equipment cord & patch cord labeling scheme	74
Figure 22 – telecommunications grounding system labeling example	75
Figure 23 – T0 and T1 line styles	80
Figure 24 - Pathway conditions and drawing notes	81
Figure 25 – T0 symbols	82
Figure 26 – T0 & T1 symbols	83
Figure 27 – Additional T0 & T1 symbols	84
Figure 28 - T2 symbols	85
Figure 29 - T3 symbols	86
Figure 30 - Example of T0 drawing level	87
Figure 31 - Example of T1 drawing level	88
Figure 32 - Example of T2 drawing level	89
Figure 33 - Example of T3 drawing level	90