



UL 60335-2-89

STANDARD FOR SAFETY

Household and Similar Electrical
Appliances – Safety – Part 2-89:
Particular Requirements for
Commercial Refrigerating Appliances
and Ice-Makers with an Incorporated or
Remote Refrigerant Unit or Motor-
Compressor

UL Standard for Safety for Household and Similar Electrical Appliances – Safety – Part 2-89: Particular Requirements for Commercial Refrigerating Appliances and Ice-Makers with an Incorporated or Remote Refrigerant Unit or Motor-Compressor, UL 60335-2-89

Second Edition, Dated October 27, 2021

Summary of Topics

Adoption of IEC 60335-2-89, Household and Similar Electrical Appliances – Safety – Part 2-89: Particular Requirements for Commercial Refrigerating Appliances and Ice-Makers with an Incorporated or Remote Refrigerant Unit or Motor-Compressor Third edition issued by the IEC June 2019, and includes IEC Corrigendum 1 published September 2019, as a new IEC-based UL standard, UL 60335-2-89. Please note that the National Difference document incorporates all of the U.S. national differences for UL 60335-2-89.

The requirements are substantially in accordance with Proposal(s) on this subject dated December 4, 2020 and April 30, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



CSA Group
CSA C22.2 No. 60335-2-89:21
Second Edition
(IEC 60335-2-89:2019, MOD)



Underwriters Laboratories Inc.
UL 60335-2-89
Second Edition

Household and Similar Electrical Appliances – Safety – Part 2-89: Particular Requirements for Commercial Refrigerating Appliances and Ice-Makers with an Incorporated or Remote Refrigerant Unit or Motor-Compressor

October 27, 2021

This national standard is based on IEC 60335-2-89, third edition (2019), including Corrigendum 1 dated September 2019.



ANSI/UL 60335-2-89-2021



[This is a preview. Click here to purchase the full publication.](#)

Commitment for Amendments

This standard is issued jointly by the Canadian Standards Association (operating as “CSA Group”) and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

ISBN 978-1-4883-3492-4 © 2021 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Second Edition. The most recent designation of ANSI/UL 60335-2-89 as an American National Standard (ANSI) occurred on October 27, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

PREFACE	9
NATIONAL DIFFERENCES	13
FOREWORD	15
INTRODUCTION.....	19
1 Scope	21
1DV.1 Modification to replace the second paragraph in Clause 1 of the Part 2 with the following:	22
1DV.2 Modification to add the following after the second paragraph in Clause 1 of the Part 2:	22
1DV.3 Modification of the sixth paragraph in Clause 1 of the Part 2 by replacing it with the following:	23
1DV.4 Modification of Clause 1 of the Part 2 by adding the following paragraph:	23
1DV.5 Modification of Note 103 in Clause 1 of the Part 2 by replacing it with the following:	23
2 Normative references	23
2DV Modification of Clause 2 of the Part 2 to add the following normative references:	24
3 Terms and definitions.....	27
3.1.9DV Modify the third paragraph of Clause 3.1.9 in the Part 2 by replacing it with the following:	27
3.1.101DV Modify Note 1 to entry by replacing it with the following:.....	28
3.5 Definitions relating to types of appliances	28
3.5.101DV Modify Clause 3.5.101 of the Part 2 by adding the following:	28
3.6 Definitions relating to parts of an appliance	28
3.6.105DV Modification of Clause 3.6.105 in the Part 2 by replacing it with the following:	29
3.6DV Add the following definitions to Clause 3.6 of the Part 2:	30
3.7 Definitions relating to safety components.....	30
3.7.102DV Modify Clause 3.7.102 by replacing it with the following:	30
3.8 Definitions relating to miscellaneous matters	31
3.8DV Add the following definitions to Clause 3.8 of the Part 2:	31
4 General requirement	33
5 General conditions for the tests	34
5.2DV Modify Clause 5.2 in the Part 2 by adding the following:	34
5.7DV Modify Clause 5.7 by adding the following:.....	35
6 Classification	35
6.2DV Modification by adding the following to Clause 6.2 of the Part 1:	36
7 Marking and instructions	36
7.1DV.1 Modification of Clause 7.1 of the Part 2 to add the following dashed items after the first dashed item in the “Addition”:	38
7.1DV.2 Modification of Clause 7.1 of the Part 2 by adding the following below the list of dashed items in the “Addition”:.....	38
7.1DV.3 Modification of Clause 7.1 of the Part 2 by adding the following:	38
7.1DV.4 Modification of Clause 7.1 of the Part 2 by replacing the seventh dashed item in the “Addition” with the following:	39
7.1DV.5 Modification of Clause 7.1 of the Part 2 by adding the following to the fifth dashed item in the “Addition”:	39
7.1DV.6 Modification by adding the following to Clause 7.1 of the Part 2:	39
7.1DV.7 Modification by adding the following to Clause 7.1 of the Part 2:	39
7.1DV.8 Modification of Clause 7.1 of the Part 2 by adding the following dashed items after the first dashed item in the “Addition”:	40
7.1DV.9 Modification of Clause 7.1 of the Part 2 by adding the following:	40
7.1ADV Add Clauses 7.1ADV.1 to 7.1ADV.6 to Clause 7 of the Part 2:	40

	7.2DV Modification by replacing Clause 7.2 of the Part 1 with Clauses 7.2DV.1 – 7.2DV.3 as follows:	41
	7.6DV Modification of Clause 7.6 of the Part 2 by replacing warning sign ISO 7010-W021 with the following:	43
	7.12DV Modification by adding the following to Clause 7.12 of the Part 2:	44
	7.12.1DV Modification by adding the following to Clause 7.12.1 of the Part 2:	46
8	Protection against access to live parts	47
9	Starting of motor-operated appliances	47
	9DV Modification by adding the following to Clause 9 of the Part 2:	47
10	Power input and current	47
11	Heating	47
	11.2DV Modification of Clause 11.2 of the Part 2 by adding the following note:	48
	11.8DV Modify Clause 11.8 of the Part 2 by adding the following text:	50
	11.103DV Add the following clause to Clause 11 of the Part 2:	50
12	Void	50
13	Leakage current and electric strength at operating temperature	50
	13.2DV.4 Modification of Clause 13.2 of the Part 1 by adding the following	50
	13.3DV.2 Modification of Clause 13.3 of the Part 1 by adding the following:	51
14	Transient overvoltages	51
15	Moisture resistance	51
16	Leakage current and electric strength	52
	16.3DV.1 Modification of Clause 16.3 of the Part 1 by adding the following:	52
	16.3DV.2 Modification of Clause 16.3 of the Part 1 by adding the following:	52
17	Overload protection of transformers and associated circuits	52
	17DV Modification of Clause 17 of the Part 1 by adding the following:	52
18	Endurance	52
19	Abnormal operation	52
	19.7DV Add the following clauses to the Part 1:	53
	19.11DV Modification to add the following to Clause 19.11 of the Part 1:	54
	19.11.1DV Modification to add the following to Clause 19.11.1 of the Part 1:	54
	19.11.3DV Modification to add the following to Clause 19.11.3 of the Part 1:	54
	19.101DV Modification of Clause 19.101 of the Part 2 by replacing the NOTE with the following:	55
	19.102DV.1 Modification of Clause 19.102 of the Part 2 by adding the following dashed item to NOTE 1:	56
	19.102DV.2 Modification of Clause 19.102 of the Part 2 by adding the following to the third dashed item in NOTE 1:	56
20	Stability and mechanical hazards	56
	20.1DV Modification of Clause 20.1 of the Part 2 by adding the following:	57
	20.101DV Add the following clause to Clause 20 of the Part 1:	57
21	Mechanical strength	57
	21.104DV Add the following clause to Clause 21 of the Part 2:	59
22	Construction	59
	22.7DV Modification to replace Clause 22.7 in the Part 2 with the following:	59
	22.46DV Modification to add the following to Clause 22.46 of the Part 1:	60
	22.103DV Modification by adding the following to Clause 22.103 of the Part 2:	62
	22.109DV Modification to replace Clause 22.109 in the Part 2 with the following:	64
	22.109ADV Add Clauses 22.109ADV.1 to 22.109ADV.3 to the Part 2:	65
	22.110DV Modification to replace Clause 22.110 of the Part 2 with the following:	66
	22.111.1DV Modify Clause 22.111.1 of the Part 2 by adding the following dashed items and paragraphs after the reference to Annex BB:	69
	22.112DV Modify Clause 22.112 of the Part 2 by adding the following dashed items and paragraphs after all three instances of “even if they produce arcs or sparks during operation”:	72
	22.113DV Modify Clause 22.113 of the Part 2 by adding the following dashed items and paragraphs after “even if they produce arcs or sparks during operation”:	74

22.114DV	Modification of Clause 22.114 of the Part 2 by replacing the first two paragraphs with the following:	75
Table 102DV	Modify Table 102 of the Part 2 by replacing it with Table 102DV as follows:	76
22.115DV	Modify Clause 22.115 of the Part 2 by replacing it with the following:	79
22.116DV	Modify Clause 22.116 of the Part 2 by adding the following:	80
22.122DV	Add the following clause to Clause 22 of the Part 2:	81
22.123DV	Add the following clause to Clause 22 of the Part 2:	81
22.124DV	Add Clauses 22.124DV.1 to 22.124DV.17 to the Part 2:	81
22.125DV	Add the following clause to Clause 22 of the Part 2:	83
22.126DV	Add the following clause to Clause 22 of the Part 2:	83
22.127DV	Add the following clause to Clause 22 of the Part 2:	83
23	Internal wiring	83
23.1DV	Modification to the fourth paragraph of Clause 23.1 of the Part 1 by replacing it with the following:	83
23.5DV	Modification to add the following to Clause 23.5 of the Part 1:	84
23.101DV	Add the following clause to Clause 23 of the Part 1:	84
23.102DV	Add the following clause to Clause 23 of the Part 1:	84
23.103DV	Add the following clause to Clause 23 of Part 1:	85
23.104DV	Add the following clause to Clause 23 of the Part 1:	85
23.105DV	Add the following clause to Clause 23 of the Part 1:	85
24	Components	85
24.1DV	Delete Clauses 24.1DV.2 – 24.1DV.7 of the Part 1:	86
24.1.4DV.1	Modification of Clause 24.1.4 of the Part 2 to add the following dashed item to the list that begins with “Electrical PRESSURE RELIEF DEVICES shall comply with IEC 60730-2-6 and”:	87
24.1.4DV.2	Modification to delete the penultimate paragraph of Clause 24.1.4 of the Part 2.	87
24.1.4ADV	Add the following clause to the Part 2:	87
24.102DV	Add Clauses 24.102DV.1 and 24.102DV.2 to the Part 2:	88
25	Supply connection and external flexible cords	88
25.1DV.3	Modification of Clause 25.1 of the Part 1 by adding the following sentence:	89
25.2DV	Modification by adding the following note to Clause 25.2 of the Part 2:	89
25.4DV	Modification by replacing Clause 25.4 of the Part 1 with the following:	89
25.7DV.1.1	Modification to add the following to Clause 25.7DV.1 of the Part 1:	89
25.7DV.1.2	Modification to add the following to Clause 25.7DV.1 of the Part 1:	90
26	Terminals for external conductors	90
27	Provision for earthing	90
27.2DV	Modification to add the following NOTE to Clause 27.2 of the Part 1:	90
27.5DV.1.1	Modification of Clause 27.5DV.1.1 in the Part 1 by replacing it with the following (USA only):	90
27.5DV.3	Modification of Clause 27.5 of the Part 1 by adding the following text:	90
27.6DV.3	Modification to add the following to Clause 27.6DV of the Part 1:	90
28	Screws and connections	91
29	Clearances, creepage distances and solid insulation	91
29.101DV	Add the following clauses to Clause 29 of the Part 1:	91
30	Resistance to heat and fire	91
30.2.1DV	Modification to replace the third paragraph of Clause 30.2.1 of the Part 1 with the following:	92
30.101DV	Add the following clause to Clause 30 of the Part 1:	92
31	Resistance to rusting	92
31.101DV	Add Clauses 31.101DV.1 to 31.101DV.3 to the Part 1:	92
32	Radiation, toxicity and similar hazards	93

Annexes

Annex A (informative) Routine tests

ADV.1 Modify Annex A of the Part 1 by adding the following NOTE:	96
A.101DV Add the following clause to Annex A of the Part 1 as follows:	96

Annex C (normative) Ageing test on motors**Annex D (normative) Thermal motor protectors****Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates**

5 General conditions for the tests	99
11 Heating	99

Annex R (normative) Software evaluation**Annex AA (normative) Locked-rotor test of fan motors****Annex BB (normative) Non-sparking “n” electrical apparatus****Annex CC (normative) Test method for determining gas concentration beyond the boundary of the appliance**

CC.1 Arrangement	104
CC.1DV.1 Modify Clause CC.1 of the Part 2 by adding the following:	104
CC.1DV.2 Modify Clause CC.1 of the Part 2 by adding the following after the formula and subsequent variable key:	104
CC.1DV.3 Modify Clause CC.1 of the Part 2 by adding the following after the sentence “M is the flammable refrigerant charge (kg)”;	105
CC.2 Release conditions	105
CC.2DV.1 Modify the first sentence of Clause CC.2 of the Part 2 by replacing it with the following:	105
CC.2DV.2 Modify the third paragraph of Clause CC.2 of the Part 2 by replacing it with the following:	106
CC.2DV.3 Modify the sixth paragraph of Clause CC.2 of the Part 2 by replacing it with the following:	107
Table CC.1DV Modify Table CC.1 by replacing it with the following:	108
CC.2DV.4 Modify the formula following Table CC.1 by replacing it with the following and delete the definition of “ p_{atm} ” from the legend:	109
CC.3 Measurement	109
CC.3DV.1 Modify Clause CC.3 of the Part 2 by replacing the three dashed items with the following:	110
CC.3DV.2 Modify Clause CC.3 of the Part 2 by replacing the last two paragraphs and equation with the following:	110
CC.4 Compliance	111
CC.4DV Modify Clause CC.4 of the Part 2 by replacing it with the following:	111
Figure CC.1DV Modify Figure CC.1 by replacing it with the following:	113
Figure CC.2DV Add the following figure:	114

Annex DVA (normative) North American additional requirements

Table DVA.1DV Modification of Table DVA.1 of the Part 1 by adding the following rows:..... 115

Annex 101.DVA (normative) Supplemental requirements

Annex 101.DVA Add Annex 101.DVA as follows: 118

7.1DV Add the following clauses:..... 118

Annex 101.DVB (normative) MCA, MOP, Code markings, and conduit openings

Annex 101.DVB Add Annex 101.DVB as follows:..... 121

25.4DV Modification by adding the following:..... 125

Annex 101.DVC (normative) Accelerated aging tests – Gaskets

Annex 101.DVC Add Annex 101.DVC as follows: 127

Annex 101.DVD (normative) Refrigerators and freezers intended for installation within a motor fuel dispensing facility

Annex 101.DVD Add Annex 101.DVD as follows: 128

Annex 101.DVE (normative) Factory assembled walk-in coolers

Annex 101.DVE Add Annex 101.DVE as follows:..... 130

Annex 101.DVF (normative) Packaged refrigerating units

Annex 101.DVF Add Annex 101.DVF as follows: 131

Annex 101.DVG (normative) Evaluation of partial systems

Annex 101.DVG Add Annex 101.DVG as follows:..... 134

Annex 101.DVH (normative) Dispensing units

Annex 101.DVH Add Annex 101.DVH as follows: 141

Annex 101.DVI (informative) Informative guidance

Annex 101.DVI Add Annex 101.DVI as follows: 144

Annex 101.DVJ (normative) Pressure and fatigue test requirements

Annex 101.DVJ Add Annex 101.DVJ as follows:..... 146

Annex 101.DVK (normative) Pressure regulating relief valve endurance test

Annex 101.DVK Add Annex 101.DVK as follows:..... 150

Annex 101.DVL (normative) Allowable opening of relays and similar components to prevent ignition of A2L refrigerants