



UL 977

STANDARD FOR SAFETY

Fused Power-Circuit Devices

This is a preview. [Click here to purchase the full publication.](#)

UL Standard for Safety for Fused Power-Circuit Devices, UL 977

Fifth Edition, Dated April 30, 2012

Summary of Topics:

This revision to ANSI/UL 977 dated October 26, 2020 includes barriers to address inadvertent contact on line side of service disconnect; Section [24A](#) and [50.37](#)

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new requirements are substantially in accordance with Proposal(s) on this subject dated July 10, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

APRIL 30, 2012
(Title Page Reprinted: October 26, 2020)



ANSI/UL 977-2020

1

UL 977

Standard for Fused Power-Circuit Devices

First Edition – June, 1973
Second Edition – October, 1976
Third Edition – June, 1984
Fourth Edition – November, 1994

Fifth Edition

April 30, 2012

This ANSI/UL Standard for Safety consists of the Fifth Edition including revisions through October 26, 2020.

The most recent designation of ANSI/UL 977 as an American National Standard (ANSI) occurred on October 26, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

The Department of Defense (DoD) has adopted UL 977 on August 28, 1984. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

This is a preview. [Click here to purchase the full publication.](#)

No Text on This Page

CONTENTS

INTRODUCTION

1	Scope	5
2	Components	6
3	Units of measurement	6
4	References	6

CONSTRUCTION

5	General	6
6	Enclosure	8
	6.1 General	8
	6.2 Rainproof enclosures	8
7	Ventilation	10
8	Sheet-Metal Enclosures	11
9	Doors and Covers	11
10	Hinges	13
11	Latches	13
12	Operating Mechanism	13
	12.1 General	13
	12.2 Electrical operators	15
13	Ground Fault Protection	15
14	Insulating Material	17
15	Current-Carrying Parts	17
16	Wiring Terminals	18
17	Control Circuit	18
18	Lockout	19
19	Fusing	19
20	Spacings	22
21	Wiring Space	23
22	Disconnecting Means	26
23	Provision for Grounding	27
24	Provision for Bonding	27
24A	Accessibility of Live Parts in Service Equipment	28

PERFORMANCE

25	General	29
26	Temperature Test	31
27	Strength of Insulating Base and Support	33
28	Overvoltage Test	34
29	Water Spray Test	34
30	Operation Test	37
31	Endurance Test	37
32	200-Percent Overload	38
33	Dielectric Voltage-Withstand Test	40
34	Close-Open Test	40
35	Dielectric Voltage-Withstand (Repeated) Test After the Close-Open Test	41
36	Contact Opening Test	41
37	Dielectric Voltage-Withstand (Repeated) Test After the Contact Opening Test	42
38	Short-Circuit Withstand Test	42
39	Closing Test	46
40	Low-Level Dielectric Voltage-Withstand Test	47

41	Metallic Coating Thickness Test.....	47
----	--------------------------------------	----

INSTRUMENTATION AND CALIBRATION OF HIGH-CAPACITY CIRCUITS

42	Galvanometers	48
43	Circuit Measurement Verification	49
44	Calibration of Test Circuit	50
	44.1 Details	50
	44.2 Current	50
	44.3 Voltage	52
	44.4 Power factor.....	52
	44.5 Recovery voltage.....	52

MANUFACTURING AND PRODUCTION TEST

45	Operation	54
----	-----------------	----

RATINGS

46	Current.....	54
47	Voltage.....	54
48	Withstand	55
49	Control Circuit.....	55

MARKING

50	Details.....	55
----	--------------	----

INSTALLATION TEST PROCEDURES

51	Details.....	59
----	--------------	----

APPENDIX A

	Standards for Components	60
--	--------------------------------	----