



UL 60730-2-8

STANDARD FOR SAFETY

Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Water Valves, Including Mechanical Requirements

UL Standard for Safety for Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Water Valves, Including Mechanical Requirements, UL 60730-2-8

Second Edition, Dated February 28, 2007

Summary of Topics

These revisions to ANSI/UL 60730-2-8 are based on the second amendment to edition No. 2 of IEC 60730-2-8.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated February 3, 2017.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

FEBRUARY 28, 2007
(Title Page Reprinted: May 10, 2017)



ANSI/UL 60730-2-8-2017

1

UL 60730-2-8

Standard for Automatic Electrical Controls for Household and Similar Use;

**Part 2: Particular Requirements for Electrically Operated Water Valves,
Including Mechanical Requirements**

The first edition was titled Standard for Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Water Valves, Including Mechanical Requirements and numbered UL 8730-2-8.

First Edition – June, 1995

Second Edition

February 28, 2007

This ANSI/UL Standard for Safety consists of the Second Edition including revisions through May 10, 2017.

The most recent designation of ANSI/UL 60730-2-8 as an American National Standard (ANSI) occurred on May 10, 2017. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2017 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

Preface (UL)	6
NATIONAL DIFFERENCES	7
FOREWORD	8
1 Scope and normative references	11
1.5 Normative references	12
2 Definitions	12
2.2 Definitions of types of control according to purpose	13
2.3 Definitions relating to the function of controls	14
2.13 Miscellaneous definitions	16
3 General requirements	16
4 General notes on tests	16
4.1 Conditions of test	16
4.2 Samples required	16
5 Rating	16
6 Classification	16
6.5.2 According to degree of protection provided by enclosures against harmful ingress of water (see IEC 60529)	16
6.7 According to ambient temperature limits of the SWITCH HEAD:	17
6.8 According to protection against electric shock:	17
6.101 According to type of end-connections	18
6.102 According to features of electrically operated WATER VALVES	18
6.103 According to temperature, pressure and type of the water controlled	19
6.104 According to NOMINAL SIZE and thread size of END CONNECTIONS	20
7 Information	20
7.4 Additional requirements for marking	22
8 Protection against electric shock	23
9 Provision for protective earthing	23
9.5.101DV.1 Swimming pool VALVE	23
10 Terminals and TERMINATIONS	24
10.1 Terminals and TERMINATIONS for external copper conductors	24
10.2 Terminals and TERMINATIONS for INTERNAL CONDUCTORS	24
11 Constructional requirements	24
11.3 <i>Modification:</i>	24
11.101 Separation of wetted parts from electrical parts	25
11.102DV.1 Springs	25
11.103DV.1 Metal parts	25
11.104DV.1 Threaded fasteners	26
12 Moisture and dust resistance	26
13 Electric strength and insulation resistance	26
14 Heating	26
15 MANUFACTURING DEVIATION and DRIFT	28
16 Environmental stress	28
16.2 Environmental stress of temperature	28
17 Endurance	28
17.7 Over-voltage (or in some countries, overload) test of AUTOMATIC ACTION at accelerated rate	29
17.16 Test for particular purpose controls	30

18	Mechanical strength	30
18.101.1	Test at 1,5 times maximum rated working pressure (test for external leakage) ..	30
18.101.2	Test at 5 times maximum rated working pressure (hydrostatic strength test)	31
18.101.3	Anti-WATER HAMMER characteristics	31
18.101.4	Test on VALVE BODIES of thermoplastic material	32
18.102	Wetted material specifications	33
18.103	Torque	33
19	Threaded parts and connections	34
20	CREEPAGE DISTANCES, CLEARANCES and distances through insulation	34
21	Resistance to heat, fire and tracking	35
22	Resistance to corrosion	35
23	Electromagnetic compatibility (EMC) requirements – emission	35
24	Components	35
25	Normal OPERATION	35
26	Electromagnetic compatibility (EMC) requirements – immunity	35
27	Abnormal OPERATION	35
27.2	Burnout test	35
27.3	Overvoltage and undervoltage test	37
27.101	Dry condition test	38
27.102	Running overload	38
28	Guidance on the use of ELECTRONIC DISCONNECTION	39

Figures

Annexes

Annex H (normative) Requirements for ELECTRONIC CONTROLS

H.6	Classification	39
H.6.18	According to software class	39
H.7	Information	39
H.26	Electromagnetic compatibility (EMC) requirements – immunity	40
H.26.5	Voltage dips and voltage interruptions in the power supply network	40
H.26.6	Not applicable.	40
H.26.8	Surge immunity test	40
H.26.9	Electrical fast transient/burst immunity test	40A
H.26.11	Electrostatic discharge test	40B
H.26.12	Radio-frequency electromagnetic field immunity	40B
H.26.13	Test of influence of supply frequency variations	40C
H.26.14	Power frequency magnetic field immunity test	40D

Annex AA (informative) Relation between different flow coefficients

AA.1	K_v value	40E
AA.2	C_v value	40E