

October 8, 2014

1

UL 2586C

**Outline of Investigation for Hose Nozzle Valves for Diesel Exhaust Fluid**

**Issue Number: 2**

**October 8, 2014**

***Summary of Topics***

***This second issue of the Outline of Investigation for Hose Nozzle Valves for Diesel Exhaust Fluid clarifies the secondary shut off operation in 15.2.1 and 19.1. Paragraph 17.1 was revised to clarify the sensitivity test.***

***This outline is effective April 30, 2015. Prior to the effective date, the requirements for products covered in this outline are included in the ninth edition of the Standard for Valves for Flammable Fluids, UL 842.***

UL's Outlines of Investigation are copyrighted by UL. Neither a printed nor electronic copy of an Outline of Investigation should be altered in any way. All of UL's Outlines of Investigation and all copyrights, ownerships, and rights regarding those Outlines of Investigation shall remain the sole and exclusive property of UL.

**COPYRIGHT © 2014 UNDERWRITERS LABORATORIES INC.**

No Text on This Page

## CONTENTS

### INTRODUCTION

|                                |   |
|--------------------------------|---|
| 1 Scope .....                  | 5 |
| 2 General .....                | 6 |
| 2.1 Components .....           | 6 |
| 2.2 Units of measurement ..... | 6 |
| 2.3 Undated references .....   | 6 |
| 3 Glossary .....               | 7 |

### CONSTRUCTION

|  |    |
|--|----|
| 4 Assembly .....                         | 7  |
| 4.1 General .....                        | 7  |
| 4.2 Hose nozzle valves .....             | 8  |
| 5 Materials .....                        | 9  |
| 5.1 Metallic materials .....             | 9  |
| 5.2 Nonmetallic materials .....          | 12 |
| 5.3 Casting impregnation materials ..... | 14 |
| 5.4 Internal parts .....                 | 14 |
| 6 Bodies and Covers .....                | 14 |
| 7 Diaphragms .....                       | 15 |
| 8 Springs .....                          | 15 |
| 9 Operating Mechanisms .....             | 15 |

### PERFORMANCE

|  |    |
|--|----|
| 10 General .....                                   | 15 |
| 11 Deformation Test .....                          | 16 |
| 12 Long Term Exposure Test .....                   | 17 |
| 12.1 General .....                                 | 17 |
| 12.2 Samples .....                                 | 17 |
| 12.3 Method .....                                  | 18 |
| 12.4 Results .....                                 | 18 |
| 13 External Leakage Test .....                     | 19 |
| 14 Hose Nozzle Valve Guard Strength Test .....     | 20 |
| 15 Operation Test .....                            | 21 |
| 15.1 Automatic hose nozzle valve .....             | 21 |
| 15.2 Bellows Secondary shut off operation .....    | 22 |
| 16 Pull Test .....                                 | 22 |
| 17 Sensitivity Test .....                          | 22 |
| 18 Hose Nozzle Endurance Test .....                | 23 |
| 19 Bellows Secondary Shut Off Operation Test ..... | 23 |
| 20 Visible Discharge Indicator Tests .....         | 23 |
| 20.1 Thermal shock test .....                      | 23 |
| 20.2 Drop test .....                               | 24 |
| 21 Hydrostatic Strength Test .....                 | 24 |
| 22 Salt Spray Test .....                           | 24 |
| 23 Moist Ammonia-Air Stress Cracking Test .....    | 25 |
| 24 Marking Adhesion Test .....                     | 26 |

**MANUFACTURING AND PRODUCTION TESTS**

|                  |    |
|------------------|----|
| 25 General ..... | 26 |
|------------------|----|

**INSTALLATION INSTRUCTIONS**

|                  |    |
|------------------|----|
| 26 General ..... | 27 |
|------------------|----|

**MARKING**

|                  |    |
|------------------|----|
| 27 General ..... | 27 |
|------------------|----|

**SUPPLEMENT SA - Test Fluid**

|                    |     |
|--------------------|-----|
| SA.1 Details ..... | SA1 |
|--------------------|-----|