



UL 1008

STANDARD FOR SAFETY

Transfer Switch Equipment

UL Standard for Safety for Transfer Switch Equipment, UL 1008

Eighth Edition, Dated December 22, 2014

Summary of Topics

This revision of ANSI/UL 1008 is being issued to incorporate the following changes:

Revision to Add Recreational Vehicle Transfer Switches to the Scope of UL 1008

Revisions to Address the Grounding and Bonding of Neutral Circuits

Revision to the Overload, Endurance, and Short Circuit Testing

Miscellaneous Revisions Regarding Inlet Assemblies, Mechanical Interlocking of Single Pole Inlets and Readily Accessible Service Disconnect Switches

Revisions Regarding the Use of "Circuit Breaker Based" Transfer Switches and Compliance with Service Disconnecting Requirements

Revision for Consistency with UL 50E Rain Test

Revisions to Annex E to Cover Freestanding Complete Packaged Fire Pump Power Transfer Units

Revisions to Address System Available Fault Calculations for Momentary Paralleling Situations

Clarification of Marking Requirements

Revised Requirements for Monitoring the Temperature on Inlets

The new/revised requirements are substantially in accordance with Proposal(s) on this subject dated January 19, 2018 and June 15, 2018.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.



Association of Standardization and Certification
NMX-J-672 ANCE
Second Edition



CSA Group
CSA C22.2 No. 178.1-14
Third Edition



Underwriters Laboratories Inc.
UL 1008
Eighth Edition

Transfer Switch Equipment

December 22, 2014

(Title Page Reprinted: September 24, 2018)



ANSI/UL 1008-2018

Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as “CSA Group”), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

Copyright © 2014 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-77139-937-1 © 2014 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquires@csagroup.org and include “Proposal for change” in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group’s Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2018 Underwriters Laboratories Inc.

UL’s Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL’s Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Eighth Edition including revisions through September 24, 2018. The most recent designation of ANSI/UL 1008 as an American National Standard (ANSI) occurred on September 14, 2018. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL’s On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL’s Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

| | |
|---|----------|
| PREFACE | 6 |
| 1 Scope | 8 |
| 2 General Requirements | 9 |
| 2.1 General | 9 |
| 2.2 Kits, other than field-wiring kits | 10 |
| 2.3 Reference publications | 10 |
| 2.4 Units of measurement | 10 |
| 3 Definitions | 10 |
| 4 Characteristics | 13 |
| 4.1 Summary of characteristics | 13 |
| 4.2 Ratings | 14 |
| 5 Product Information | 15 |
| 5.1 Data requirements | 15 |
| 5.2 Marking requirements | 16 |
| 5.3 Instructions for installation, operation, and maintenance | 28 |
| 6 Construction Requirements | 28 |
| 6.1 Materials | 28 |
| 6.2 Intended for service equipment | 29 |
| 6.3 Clearance and creepage distances | 29 |
| 6.4 Components | 33 |
| 6.5 Enclosures | 34 |
| 6.6 Connections for wiring systems | 37 |
| 6.7 Corrosion protection | 38 |
| 6.8 Insulating materials | 38 |
| 6.9 Bases | 39 |
| 6.10 Mounting of parts | 39 |
| 6.11 Guarding and accessibility of live parts | 40 |
| 6.12 Current-carrying parts | 40 |
| 6.13 Field-wiring terminals | 40 |
| 6.14 Internal wiring | 43 |
| 6.15 Grounding and bonding | 44 |
| 6.16 Ground-fault protection | 44 |
| 6.17 Receptacles | 45 |
| 6.18 Wiring spaces | 45 |
| 6.19 Transfer switches with integral inlets for portable generator connection | 46 |
| 6.20 Inlets for generator connection | 48 |
| 7 Performance Requirements | 48 |
| 7.1 Operating mechanism | 48 |
| 7.2 Temperature rise | 52 |
| 7.3 Dielectric properties | 52 |
| 7.4 Ability to make and break under no-load, normal load, and overload conditions | 52 |
| 7.5 Short-circuit tests | 53 |
| 8 Service Equipment Requirements | 53 |
| 8.1 Service equipment for use in Mexico and the United States | 53 |
| 8.2 Service equipment for use in Canada | 58 |
| 9 Test Requirements – General | 58B |
| 9.1 General | 58B |
| 9.2 Performance | 61 |
| 9.3 Overvoltage condition | 61 |

| | |
|---|----|
| 9.4 Undervoltage condition | 61 |
| 9.5 Operation on loss of supply voltage | 62 |
| 9.6 Operation on reduction of supply voltage | 62 |
| 9.7 Transfer on availability of alternative voltage or voltage-frequency | 63 |
| 9.8 Temperature rise test | 63 |
| 9.9 Dielectric voltage-withstand test | 65 |
| 9.10 Overload test | 66 |
| 9.11 Contact opening test | 69 |
| 9.12 Endurance test | 69 |
| 9.13 Short-circuit test | 70 |
| 9.14 Dielectric voltage-withstand test (following short-circuit withstand or closing tests) ... | 79 |
| 9.15 Short-time current rating test – optional | 79 |
| 9.16 Receptacle withstand test | 82 |
| 9.17 Strength of insulating base and support tests | 83 |
| 10 Test Requirements – Routine Tests | 83 |
| 10.1 Ground-fault protection | 83 |
| Tables | 85 |

Annex A1 Normative references

Annex A2 Informative references

Annex B (informative) French translation of markings

Annex C (informative) Spanish translation of markings

Annex D (normative) Bypass/Isolation switches

| | |
|--|-----|
| D1 Scope | 115 |
| D2 Construction – General | 115 |
| D3 Performance – General | 116 |
| D4 Normal Operation Test | 116 |
| D5 Overload Test | 116 |
| D6 Temperature Test | 116 |
| D7 Endurance Test | 117 |
| D8 Dielectric Voltage-Withstand Test | 117 |
| D9 Short-Circuit Withstand Test | 117 |
| D10 Short-Time Current Rating Test (Optional) | 117 |
| D11 Short-Circuit Closing Test | 117 |
| D12 Dielectric Voltage-Withstand Test (following short-circuit withstand or closing tests) | 117 |
| D13 Rating – Details | 118 |
| D14 Marking – Details | 118 |

Annex E (normative) Transfer switches for fire pump service

| | |
|---------------------------------|-----|
| E1 Scope | 119 |
| E2 Construction – General | 119 |

| | |
|--|------|
| E3 Performance | 122 |
| E3A Performance Tests – Transfer Switch Assembly | 122A |
| E3A.1 Short-circuit test (short-circuit rating) | 122A |
| E3A.2 Dielectric voltage-withstand test | 122D |
| E3A.3 Rated short-circuit capacity (withstand) | 122E |
| E3A.4 Dielectric voltage-withstand test | 122F |
| E3A.5 Circuit breaker time-current protection test | 122F |
| E3A.6 Temperature rise test | 122I |
| E4 Rating – Details | 122I |
| E5 Marking – Details | 122I |

Annex F (Normative in Canada) (Informative in Mexico and the United States) Hybrid Transfer Switches

| | |
|-----------------------|-----|
| F1 Scope | 123 |
| F2 Construction | 123 |
| F3 Performance | 123 |
| F4 Rating | 124 |
| F5 Marking | 124 |

Annex G (normative) Softload Transfer Switches

| | |
|--|-----|
| G1 Scope | 127 |
| G2 General Requirements | 127 |
| G3 Definitions | 127 |
| G4 Characteristics | 127 |
| G5 Product Information | 127 |
| G5.1 Data Requirements | 127 |
| G5.2 Marking Requirements | 127 |
| G5.3 Instructions for Installation, Operation, and Maintenance | 128 |
| G6 Constructional Requirements | 128 |
| G7 Performance Requirements | 128 |
| G8 Service Equipment | 129 |
| G9 Test Requirements | 129 |
| G10 Manufacturing and Production Tests | 130 |

Annex H (Normative in Mexico and the United States) (Informative in Canada) Instrumentation and Calibration of High Capacity Circuits

| | |
|-----------------------------------|-----|
| H1 General | 131 |
| H2 Test Circuit Calibration | 131 |
| H3 Direct Current | 131 |
| H4 Alternating Current | 132 |
| H5 Galvanometers | 132 |

Annex I (informative) Sample Markings

| | |
|--------------------|-----|
| I1 Scope | 137 |
| I2 Example 1 | 137 |

| | |
|--------------------|-----|
| I3 Example 2 | 137 |
| I4 Example 3 | 138 |
| I5 Example 4 | 139 |
| I6 Example 5 | 139 |
| I7 Example 6 | 140 |
| I8 Example 7 | 140 |
| I9 Example 8 | 141 |

Annex J (normative) Inlet Assemblies for Transfer Switch Equipment

INTRODUCTION

| | |
|-------------------------------|-----|
| J1 Scope | 142 |
| J2 Components | 142 |
| J3 Units of Measurement | 142 |
| J4 Undated References | 143 |

CONSTRUCTION

| | |
|---|-----|
| J5 General | 143 |
| J6 Enclosure | 143 |
| J7 Insulating Material | 144 |
| J8 Mounting of Parts | 144 |
| J9 Guarding and Accessibility of Live Parts | 145 |
| J10 Current Carrying Parts | 145 |
| J11 Field Wiring Connections | 145 |
| J12 Wiring | 146 |
| J12.1 Internal wiring | 146 |
| J12.2 Conductors passing through metal barriers | 146 |
| J13 Disconnect Switches | 146 |
| J13.1 General | 146 |
| J13.2 Disconnecting means | 147 |
| J14 Grounding and Bonding | 147 |
| J15 Ground-Fault Protection | 148 |
| J16 Spacings | 148 |
| J17 Wiring Space | 148 |

PERFORMANCE

| | |
|--|-----|
| J18 Inlet Assemblies | 148 |
| J19 Temperature Test | 148 |
| J20 Dielectric Voltage-Withstand Test | 149 |
| J21 Short Circuit Withstand Test | 149 |
| J22 Dielectric Voltage-Withstand Test (Repeated) | 152 |
| J23 Spring-Closing Cycling Test | 152 |
| J24 Gasket Tests | 152 |
| J25 Routine Tests – Ground-Fault Protection | 152 |

RATINGS

| | |
|-------------------|-----|
| J26 General | 153 |
|-------------------|-----|

MARKINGS

| | |
|---------------------------------|-----|
| J27 General | 153 |
| J28 Permanence of Marking | 154 |

INSTALLATION

| | |
|--|-----|
| J29 Installation Test Procedures | 154 |
|--|-----|