

# UL 60065

## STANDARD FOR SAFETY

Audio, Video and Similar Electronic Apparatus – Safety Requirements



JUNE 29, 2020 – UL 60065 tr1

UL Standard for Safety for Audio, Video and Similar Electronic Apparatus - Safety Requirements, UL 60065

Eighth Edition, Dated September 30, 2015

### Summary of Topics

This revision of ANSI/UL 60065 dated June 29, 2020 is being issued to update the title page to reflect the most recent designation as a Reaffirmed American National Standard (ANS). No technical changes have been made.

UL 60065 is an adoption of IEC 60065, Audio, video and similar electronic apparatus – Safety requirements (Eighth Edition, issued June 2014). Please note that the national difference document incorporates all of the U.S. national differences for UL 60065.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated April 17, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

tr2 JUNE 29, 2020 – UL 60065

No Text on This Page

This is a preview. Click here to purchase the full publication.

### **SEPTEMBER 30, 2015**

(Title Page Reprinted: June 29, 2020)



1

#### **UL 60065**

### Standard for Audio, Video and Similar Electronic Apparatus – Safety

### Requirements

Prior to the seventh edition, the requirements for the products covered by this standard were included in the Standard for Audio/Video and Musical Instrument Apparatus for Household, Commercial, and Similar General Use, UL 6500, First and Second Editions. UL 60065, seventh edition, was a new edition of UL 6500. The standard number and edition number were changed to correspond with the equivalent IEC 60065 standard.

Seventh Edition - June, 2003

### **Eighth Edition**

### September 30, 2015

This ANSI/UL Standard for Safety consists of the Eighth Edition including revisions through June 29, 2020.

The most recent designation of ANSI/UL 60065 as a Reaffirmed American National Standard (ANS) occurred on June 19, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

No Text on This Page

### **CONTENTS**

| Preface (UL)   | 8  |
|--|----|
| NATIONAL DIFFERENCES   | 9  |
|  |    |
| FOREWORD   | 10 |
| INTRODUCTION   | 10 |
| INTRODUCTION   | 12 |
| 1 General  | 15 |
| 1.1 Scope  |    |
| 1.2 Normative references   | 18 |
| 2 Terms and definitions  | 23 |
| 2.1 Definitions in alphabetical order  | 23 |
| 2.2 Types of apparatus   | 25 |
| 2.3 Ratings and electrical values  | 26 |
| 2.4 Supply and external connections  |    |
| 2.5 Signals, sources, loads  |    |
| 2.6 Protection against electric shock, insulations                                 |    |
| 2.7 Components   |    |
| 2.8 Miscellaneous  |    |
| 3 General requirements   |    |
| 3.1 General  |    |
| 3.2 Designation of classes   |    |
| 3.3 Constructions and components not specifically covered                          |    |
| 3.4 Components and subassemblies that comply with IEC 62368-1 UL 62368-1.          |    |
| 4 General test conditions  |    |
| 4.1 Conduct of tests   |    |
| 4.2 Normal operating conditions  |    |
| 4.3 Fault conditions   |    |
| 5 Marking and instructions   |    |
| 5.1 General requirements   |    |
| 5.2 Identification and supply ratings  |    |
| 5.3 TERMINALS  |    |
| 5.4 Caution marking  |    |
| 5.5 Instructions   |    |
| 6 Hazardous radiations   |    |
| 6.1 Ionizing radiation   |    |
|  |    |
| 6.3 Light emitting diodes (LEDs)   |    |
| 7.1 General  |    |
| 7.1 General  |    |
| 8 Constructional requirements with regard to the protection against electric shock |    |
| 9 Electric shock hazard under normal operating conditions                          |    |
| 9.1 Testing on the outside   |    |
| 9.2 Removal of protective covers   |    |
| 10 Insulation requirements   |    |
| 10.1 Frequencies   |    |
| 10.2 Surge test  |    |
| 10.3 Humidity treatment  |    |
| ,  |    |

|      | 10.4 Insulation resistance and dielectric strength                                  | <br>.81 |
|------|---|---------|
|      | 11 Fault conditions   | <br>.83 |
| 11.1 | Electric shock hazard   | <br>.83 |
|      | 11.2 Heating  |         |
|      | 12 Mechanical strength  |         |
| 12.1 | Complete apparatus  |         |
|      | 12.2 Fixing of actuating elements   |         |
|      | 12.3 REMOTE CONTROL devices held in hand  |         |
|      | 12.4 Drawers  |         |
|      | 12.5 Antenna coaxial sockets mounted on the apparatus                               |         |
|      | 12.6 Telescoping or rod antennas  |         |
|      | 12.7 Apparatus containing con / Button cell Batteries                               |         |
|      |   |         |
|      | 12.8 Adhesives  |         |
| 40.4 | 13 CLEARANCES and CREEPAGE DISTANCES  |         |
| 13.1 | General   |         |
|      | 13.2 Determination of working voltage   |         |
|      | 13.3 CLEARANCES   |         |
|      | 13.4 CREEPAGE DISTANCES   |         |
|      | 13.5 PRINTED BOARDS   |         |
|      | 13.6 Jointed insulation   |         |
|      | 13.7 Enclosed and sealed parts  |         |
|      | 14 Components   | <br>111 |
| 14.1 | General   | <br>111 |
|      | 14.2 Resistors  | <br>112 |
|      | 14.3 Capacitors and RC-units  | <br>113 |
|      | 14.4 Inductors and windings   |         |
|      | 14.5 High voltage components and assemblies   |         |
|      | 14.6 Protective devices   |         |
|      | 14.7 Switches   |         |
|      | 14.8 safety interlocks  |         |
|      | 14.9 Voltage setting devices and the like   |         |
|      | 14.10 Motors  |         |
|      | 14.11 Batteries   |         |
|      | 14.12 Optocouplers  |         |
|      | 14.13 Surge suppression varistors   |         |
|      |   |         |
| 45.4 | 15 TERMINALS  |         |
| 15.1 | Plugs and sockets   |         |
|      | 15.2 Provisions for protective earthing   |         |
|      | 15.3 TERMINALS for external flexible cords and for permanent connection to the      |         |
|      | 15.4 Devices forming a part of the MAINS plug                                       |         |
|      | 16 External flexible cords  |         |
|      | lectrical connections and mechanical fixings  |         |
|      | lechanical strength of picture tubes and protection against the effects of implosic |         |
| 18.1 | General   |         |
|      | 18.2 Non-intrinsically protected picture tubes                                      |         |
|      | 19 Stability and mechanical hazards   | <br>156 |
| 19.1 | Stability requirements  |         |
|      | 19.2 Test at 10° to the horizontal  |         |
|      | 19.3 Vertical force test  |         |
|      | 19.4 Horizontal force test  | <br>158 |
|      | 19.5 Test of edges and corners  |         |
|      | 19.6 Mechanical strength of glass   |         |
|      | 19.7 Wall or ceiling or equipment rack mounting means                               |         |
|      | S —   |         |

| 20 Resistance to fire   |                            |
|---|----------------------------|
| 20.1 Requirements   |                            |
| 20.2 Electrical components and mechanical parts   |                            |
| 20.3 FIRE ENCLOSURE   | 166                        |
| Annex A (normative) Additional requirements for apparatus with protection again water for outdoor use and wet locations | ı <del>st splashin</del> g |
| water to outdoor use and wet locations  |                            |
| A.1 General A.5 Marking and instructions A.10 Insulation requirements A.10.3 Splash and humidity treatment              |                            |
| Annex B DU (normative) Apparatus to be connected to the TELECOMMUNICATION NETWORKS                                      |                            |
| Annex C (normative) Band-pass filter for wide-band noise measurement  |                            |
| Annex D DU (normative) Measuring network for TOUCH CURRENTS   |                            |
| Annex E (normative) Measurement of CLEARANCES and CREEPAGE DISTANCES  |                            |
| Annex F (normative) Table of electrochemical potentials   |                            |
| Annex G DU (normative) Flammability test methods  |                            |
| Annex H (normative) Insulated winding wires for use without interleaved insulation                                      |                            |
| H.1 General   |                            |
| H.2 Type tests  | 211                        |
| H.2.1 General   |                            |
| H.2.2 Dielectric strength   |                            |
|   |                            |
| Annex I (Void)  |                            |
| Annex J (normative) Alternative method for determining minimum CLEARANCES   |                            |
| J.1 General   |                            |
| J.2 Summary of the procedure for determining minimum clearances   |                            |
| J.3 Determination of MAINS transient voltage  |                            |
| J.4 Determination of TELECOMMUNICATION NETWORK TRANSIENT VOLTAGE  |                            |
| 1.6 Measurement of transient levels   | /۱۱                        |

| J.7 Determination of minimum clearances  |                 |
|--|-----------------|
| Annex K (normative) Impulse test generators  |                 |
| Annex L DU (normative) Additional requirements for electronic flash apparatus for purposes | or photographic |
| L.1 Overview   |                 |
| L.2 General  |                 |
| L.4 General test conditions  |                 |
| L.5 Marking and instructions   |                 |
| L.7 Heating under normal operating conditions  |                 |
| L.9 Electric shock hazard under normal operating conditions                                |                 |
| L.10 Insulation requirements   |                 |
| L.11 Fault conditions  |                 |
| L.12 Mechanical strength   |                 |
| L.20 Resistance to fire  |                 |
| reduced clearances  Annex N (informative) Routine tests                                    |                 |
| ,  | 007             |
| N.1 General  |                 |
| N.2.1 Correct polarity and connection of components or subassemblies                       |                 |
| N.2.2 Correct values of components   |                 |
| N.2.3 Protective earthing connection of screens and metal barriers                         |                 |
| N.2.4 Correct position of internal wiring  |                 |
| N.2.5 Correct fit of internal plug connections   |                 |
| N.2.6 Safety relevant markings inside the apparatus  |                 |
| N.2.7 Correct mounting of mechanical parts   |                 |
| N.3 Tests at the end of the production process   |                 |
| N.3.1 General  |                 |
| N.3.2 Dielectric strength test   |                 |
| N.3.3 Protective earthing connection   |                 |
| N.3.4 Safety relevant markings on the outside of the apparatus                             |                 |
|  |                 |

| Δ | n | n | ex | Р |
|---|---|---|----|---|
|   |   |   |    |   |

| Bib | lioai | raphy |
|-----|-------|-------|
|     |       |       |

| ыынодгар   | ony control of the co |  |  |
|--|--|--|--|
| Annex Q  | DU (normative) Safety requirements for video apparatus for use in health care facilities   |  |  |
| Annex R  | DU (normative) Safety requirements for undercabinet apparatus  |  |  |
| Annex S  | DU (normative) Safety requirements for in-wall mounted apparatus   |  |  |
| Annex T  | DU (normative) Safety requirements for apparatus with projection lamps   |  |  |
| Annex U  | DU (normative) Safety requirements for permanently connected apparatus   |  |  |
| Annex V with spe   | DU (normative) Safety requirements for carts, stands, and similar apparatus for use ecific apparatus covered by this standard  |  |  |
|  | V.19 Mechanical stability256   |  |  |
| Annex W DU (informative) A 0,02-ohm shunt for use in the peak inrush-current measurement described in 14.7.6.1 |  |  |  |
| Annex X  | DU (normative) Manufacturing and production-line tests and verifications   |  |  |
| Annex Y  | DC (normative) Standards for components  |  |  |