UL 1637

STANDARD FOR SAFETY

Home Health Care Signaling Equipment

UL Standard for Safety for Home Health Care Signaling Equipment, UL 1637

Fifth Edition, Dated September 21, 2017

Summary of Topics

This new edition of the Standard for Safety for Home Health Care Signaling Equipment, ANSI/UL 1637, includes the following changes in requirements:

1. Charging Current Test

2. Cord-Connected Equipment

The revised requirements are substantially in accordance with Proposal(s) on this subject dated March 17, 2017.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

No Text on This Page

UL 1637

Standard for Home Health Care Signaling Equipment

First Edition – May, 1989
Second Edition – November, 1993
Third Edition – October, 1998
Fourth Edition – December, 2006

Fifth Edition

September 21, 2017

This ANSI/UL Standard for Safety consists of the Fifth Edition.

The most recent designation of ANSI/UL 1637 as an American National Standard (ANSI) occurred on September 21, 2017. ANSI approval for a standard does not include the Cover Page, Transmittal Pages and Title Page. Any other portions of this ANSI/UL standard that were not processed in accordance with ANSI/UL requirements are noted at the beginning of the impacted sections.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

No Text on This Page

CONTENTS

INTRODUCTION

1 Scope 8
2 Components 9
3 Units of measurement 9
4 Undated references 9
5 Glossary 10
6 Installation and Operating Instructions 11

CONSTRUCTION

ASSEMBLY

7 General 13
7.1 General 13
7.2 Adhesives used to secure conductive parts 13
7.3 Accessibility of uninsulated live parts 14
7.4 Protection of service personnel 16
8 Enclosures 17
8.1 General 17
8.2 Cast metal 17
8.3 Sheet metal 17
8.4 Nonmetallic 20
8.5 Doors and covers 20
8.6 Enclosure openings 20
8.7 Screens and expanded metal 25
8.8 Enclosure mounting 26
8.9 Battery compartment (unsealed batteries) 26
9 Corrosion Protection 26

FIELD WIRING

10 Power Supply 27
10.1 General 27
10.2 Field wiring compartment 27
10.3 Terminals (general application) 27
10.4 Terminals (qualified application) 28
10.5 Leads 29
10.6 Cord connected equipment 29
10.7 Permanently connected equipment 30
10.8 Grounding 31
11 Polarity Identification 32

INTERNAL WIRING

12 General 32
13 Wiring Methods 33
14 Separation of Circuits 33
15 Bonding for Grounding 34
16 Secondary (Standby) Power Supply 36

COMPONENTS

17 General 37
17.1 Mounting of components 37
17.2 Current-carrying parts 38
17.3 Insulating materials 38
17.4 Fuseholders 39
17.5 Operating mechanisms 39
18 Bushings 39
19 Transformers, Coils, and Relays 40
20 Switches 40
21 Overcurrent Protection 40
22 Printed Wiring Boards 41
23 Capacitors 41
24 Semiconductors 41
25 Storage Batteries 41

SPACINGS

26 General 42
27 Components 43

COMBINATION SYSTEMS

28 General 44
28.1 General 44
28.2 Carbon monoxide signaling systems 44

FCC VERIFICATION

29 General 50

PERFORMANCE

ALL UNITS

30 General 50
30.1 Test units and data 50
30.2 Test voltages 51
31 Normal Operation Test 51
32 Electrical Supervision Test 53
33 Power Supply Supervision Test 55
33.1 Battery powered units 55
33.2 Residential control unit 55
33.3 Central station receiving units 56
34 Electrical Measurements Test 57
34.1 Input circuit 57
34.2 Output circuit 57
34.3 Battery circuit 57
34.4 Circuits connected to specific equipment 58
35 Volt-Ampere Capacity Test, Low-Voltage Power-Limited Circuits 58
36 Undervoltage Operation Test 60
37 Overvoltage Operation Test 60

38 Jarring Test 60
39 Component Temperature Test 61
40 Charging Current Test 66
41 Battery Charger Tests 67
42 Variable Ambient Temperature Test 67
43 Humidity Test 67
44 Leakage Current Test 67
45 Overload Test 69
46 Overload Test – Separately Energized Units 69
47 Endurance Test 70
48 Electrical Transient Tests 71
48.1 General 71
48.2 Externally induced high-voltage (ring wave surge voltage) transients 71
48.3 Internally induced transients 71
48.4 Input/output (low-voltage) field-wiring transients 71
49 Dielectric Voltage-Withstand Test 77
50 Abnormal Operation Test 78
50.1 General 78
50.2 Variable autotransformer 78
50.3 Overvoltage 78
51 Strain Relief Test 79
51.1 Flexible cord 79
51.2 Plug restraining 79
51.3 Field-wiring leads 79
52 Drop Test 79
53 Mechanical Strength Tests for Enclosures 80
54 Polymeric Materials Tests 81
54.1 General 81
54.2 Temperature test 81
54.3 Flame test 81
55 Special Terminal Assemblies Test 82
55.1 General 82
55.2 Disconnection and reconnection 82
55.3 Mechanical secureness 82
55.4 Flexing test 83
55.5 Millivolt drop test 83
55.6 Temperature test 83
56 Ignition Test Through Bottom-Panel Openings 84

SIGNAL INITIATING UNITS

57 General 85
58 Vibration Test 85
59 Static Discharge Test 85
60 Stability Test 86
61 Battery Replacement Test 86
62 Polarity Reversal Test 86
63 Sensitivity and Range Tests 87
64 Photoelectric 87
64.1 Foreign light 87
64.2 Operating speed 87
64.3 Beam cutoff 87
64.4 Range 87

MOVEMENT DETECTORS

65 Microwave 88
65.1 General 88
65.2 Sensitivity 88
65.3 Range 89
65.4 Maximum power density 89
66 Sonic and Ultrasonic 89
66.1 General 89
66.2 Sensitivity 89
66.3 Range 90
67 Passive Infrared 90
67.1 General 90
67.2 Sensitivity 90
67.3 Stability 90
67.4 Range 91
68 Multiplex Systems 91
68.1 General 91
68.2 Operation 91
68.3 Private radio facilities 92
69 Digital Communicator Units 93
70 Program-Controlled Units and Systems 93
70.1 General 93
70.2 Program access and control 93

SHORT RANGE RADIO FREQUENCY DEVICES

71 General 94
72 Reference Level Determination 94
72.1 Method 1 94
72.2 Method 2 96
72.3 Method 3 99
73 Interference Immunity 99
74 Frequency Selectivity 100
75 Time to Report Alarm 101
76 Inoperative Transmitter Reporting 101
77 Clash 101
78 Error (Falsing) Rate 102
79 Throughput Rate 103
80 Maximum Duration of Transmission 104
81 Battery Status Indication 104
82 Transmitter Stability Tests 105
83 Transmitter Accelerated Aging Test 105
84 Installation Instructions and User Manual 106

MANUFACTURING AND PRODUCTION LINE TESTS

85 Production-Line Dielectric Voltage-Withstand Test 106
86 Production-Line Grounding Continuity Test 107

MARKING

87 General 107

SUPPLEMENT SA - INSTRUCTIONS FOR CALCULATING ATTENUATION PARAMETERS AND OPEN AREA TEST DISTANCE (D_{EOAT})

SA1 Instructions for Determining L1, L2, L3, and L4 Values SA1
SA2 Determining L_w SA1
SA3 Determining L_f SA1
SA4 Determining L_b SA2
SA5 Determining D_{EOAT} SA2
SA6 Example Calculation SA2
SA6.1 Use a frequency of 1 GHz, calculate D_{EOAT} (equivalent open area test distance). .SA2

APPENDIX A

Standards for Components..... A1