



UL 2096

STANDARD FOR SAFETY

Commercial/Industrial Gas and/or Oil-Burning
Assemblies With Emission Reduction Equipment

UL Standard for Safety for Commercial/Industrial Gas and/or Oil-Burning Assemblies With Emission Reduction Equipment, UL 2096

Third Edition, Dated October 27, 2006

Summary of Topics

This revision to UL 2096 is being issued to remove the reference to the withdrawal date of UL 873 and to address universal upkeep of UL Standards for Safety. These revisions are considered to be non-substantive and not subject to UL's STP process.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin. Changes in requirements are marked with a vertical line in the margin and are followed by an effective date note indicating the date of publication or the date on which the changed requirement becomes effective.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the note following the affected item. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a "SUPERSEDED REQUIREMENTS" notice.

No Text on This Page

OCTOBER 27, 2006

(Title Page Reprinted: March 9, 2015)

1

UL 2096

Standard for Commercial/Industrial Gas and/or Oil-Burning Assemblies

With Emission Reduction Equipment

First Edition – November, 1993

Second Edition – July, 1999

Third Edition

October 27, 2006

This UL Standard for Safety consists of the Third edition including revisions through March 9, 2015.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2015 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

PART I – ALL EQUIPMENT

INTRODUCTION

| | |
|------------------------------|----|
| 1 Scope | 9 |
| 2 Units of Measurement | 9 |
| 3 Components | 9 |
| 4 Glossary | 10 |
| 5 Undated References | 18 |

CONSTRUCTION

| | |
|--|----|
| 6 General | 18 |
| 7 Corrosion Protection | 20 |
| 8 Protection of Users and Service Personnel | 20 |
| 9 Enclosures | 24 |
| 9.1 General | 24 |
| 9.2 Accessibility of uninsulated live parts and film-coated wire – general | 28 |
| 9.3 Doors and covers | 32 |
| 9.4 Field wiring system connection | 33 |
| 10 Field Wiring | 34 |
| 10.1 General | 34 |
| 10.2 Leads and terminals | 36 |
| 11 Internal Wiring | 37 |
| 11.1 General | 37 |
| 11.2 Methods | 38 |
| 11.3 Short-circuit protection | 41 |
| 12 Separation of Circuits | 41 |

ELECTRICAL COMPONENTS

| | |
|--|----|
| 13 Bonding for Grounding | 43 |
| 14 Mounting of Electrical Components | 46 |
| 15 Motors and Motor Overload Protection | 47 |
| 16 Overcurrent Protection of High-Voltage Control-Circuit Conductors | 51 |
| 16.1 General | 51 |
| 16.2 Direct-connected high-voltage control circuit | 51 |
| 16.3 Tapped high-voltage control circuits | 51 |
| 16.4 Overcurrent-protective devices | 52 |
| 17 Overcurrent Protection of Transformers | 53 |
| 17.1 High-voltage transformers – general | 53 |
| 17.2 High-voltage transformers– thermal protection | 53 |
| 17.3 High-voltage transformers– overcurrent protection | 54 |
| 17.4 Low-voltage transformers – general | 54 |
| 17.5 Low-voltage transformers– overcurrent protective devices | 55 |
| 18 Switches and Controllers | 55 |
| 19 Capacitors | 56 |
| 20 Electrical Insulating Materials | 57 |

SPACINGS

| | |
|--------------------------------|----|
| 21 High-Voltage Circuits | 57 |
| 22 Low-Voltage Circuits | 58 |

PERFORMANCE

| | |
|---|----|
| 23 General | 59 |
| 24 Instrumentation | 60 |
| 24.1 Draft | 60 |
| 24.2 Fuel input | 60 |
| 24.3 Power measurement | 60 |
| 24.4 Speed measurement | 60 |
| 24.5 Temperature measurement | 60 |
| 24.6 Flue-gas sampling and temperatures | 63 |
| 25 Test Voltage | 64 |
| 26 Power Input Test | 65 |
| 27 Temperature Test | 65 |
| 28 Short-Circuit Test | 69 |
| 29 Overload Test, High-Voltage Transformers | 72 |
| 30 Burnout Test, High-Voltage Transformers | 72 |
| 31 Dielectric Voltage-Withstand Test | 73 |
| 31.1 General | 73 |
| 31.2 Dielectric withstand – Ignition assembly | 74 |
| 31.3 Dielectric withstand – Electrode insulator | 74 |

MANUFACTURING AND PRODUCTION TESTS

| | |
|--|----|
| 32 General | 74 |
| 33 Production Line Dielectric Voltage-Withstand Test | 74 |

MARKING

| | |
|-------------------------------|----|
| 34 General | 76 |
| 35 Nameplate | 76 |
| 36 Supplemental Marking | 77 |

INSTRUCTIONS

| | |
|------------------|----|
| 37 General | 80 |
|------------------|----|

PART II - BURNER ASSEMBLIES

CONSTRUCTION

| | |
|--|----|
| 38 General | 81 |
| 39 Assembly | 81 |
| 40 Accessibility for Servicing | 84 |
| 41 Fan Housings and Air Tubes | 84 |
| 42 Combustion Air Controls | 85 |
| 43 Fuel Strainers | 86 |
| 44 Fittings, and Piping and Tubing | 91 |

| | | |
|-------|--|-----|
| 45 | Valves and Regulators | 94 |
| 45.1 | Automatic safety shutoff valves – General | 94 |
| 45.2 | Oil valves | 94 |
| 45.3 | Gas valves | 95 |
| 45.3A | Automatic valve proving systems | 96 |
| 45.4 | Manually operated valves – Oil | 96 |
| 45.5 | Manually operated valves – Gas | 96A |
| 45.6 | Pressure regulators – Oil | 96A |
| 45.7 | Pressure regulators – Gas | 97 |
| 46 | Stuffing Boxes | 97 |
| 47 | Bleeds and Vents | 98 |
| 48 | Gauges | 99 |
| 49 | Ignition Systems – General | 99 |
| 50 | Oil-Burning Devices | 100 |
| 51 | Gas-Burning Devices | 100 |
| 52 | Electric High-Tension Ignition | 101 |
| 52.1 | Spark igniters | 101 |
| 52.2 | Electrode and bus bars | 101 |
| 52.3 | Insulators | 101 |
| 52.4 | Leads | 102 |
| 52.5 | Transformers | 102 |
| 53 | Gas Pilots | 103 |
| 54 | Control Applications | 104 |
| 55 | Primary Safety Controls | 105 |
| 56 | Purge and Combustion Air Monitoring Controls | 109 |
| 56.1 | General | 109 |
| 56.2 | Controls for oil burning assemblies | 110 |
| 57 | Oil Atomization Control | 110 |
| 58 | Oil Temperature Control | 111 |
| 59 | Gas Pressure Controls | 111 |
| 60 | Interlocks | 112 |
| 61 | Combination Gas-Oil Burners | 112 |

PERFORMANCE

| | | |
|-------|---|-----|
| 62 | Test Installation | 113 |
| 63 | Tests Firing Oil | 113 |
| 63.1 | Combustion – Test No. 1 | 113 |
| 63.2 | Mechanical-atomizing burners – Test No. 2 | 114 |
| 63.3 | Combustion air failure test – Test No. 3 | 115 |
| 63.4 | FGR fan failure test – Test No. 4 | 116 |
| 63.5 | Interruption of atomization test – Test No. 5 | 117 |
| 63.6 | Undervoltage test – Test No. 6 | 117 |
| 63.7 | Power interruption test – Test No. 7 | 118 |
| 63.8 | Ignition tests, electric high-tension reduced voltage – cold oil – Test No. 8 | 119 |
| 63.9 | Combustion detectors – Test No. 9 | 120 |
| 63.10 | Ignition test, gas reduced voltage – Test No. 10 | 120 |
| 63.11 | Pilot supervision – Test No. 11 | 121 |
| 63.12 | Flame failure response – Test No. 12 | 121 |
| 63.13 | Pilot stability – Test No. 13 | 121 |
| 63.14 | Ignition test, gas-electric – Test No. 14 | 122 |
| 63.15 | Ignition test, gas-electric high-tension reduced voltage – cold oil – Test No. 15 | 122 |
| 63.16 | Ignition test, multiple-atomizer burner – Test No. 16 | 123 |

| | |
|---|-----|
| 63.17 Fuel changeover test – Test No. 17 | 124 |
| 64 Tests Firing Gas | 124 |
| 64.1 Combustion – Test No. 1 | 124 |
| 64.2 Endurance – Test No. 2 | 125 |
| 64.3 Combustion air failure – Test No. 3 | 125 |
| 64.4 FGR fan failure test – Test No. 4 | 126 |
| 64.5 Undervoltage – Test No. 5 | 127 |
| 64.6 Power interruption – Test No. 6 | 127 |
| 64.7 Pilot supervision – Test No. 7 | 128 |
| 64.8 Ignition, gas-electric high tension – Test No. 8 | 128 |
| 64.9 Ignition, multiple burner – Test No. 9 | 129 |
| 64.10 Delayed ignition – Test No. 10 | 129 |

PART III – BOILER ASSEMBLIES

CONSTRUCTION

| | |
|---|-----|
| 65 Assembly | 130 |
| 66 Accessibility for Servicing | 131 |
| 67 Casing | 131 |
| 68 Radiation Shields or Liners | 132 |
| 69 Combustion Chamber | 132 |
| 70 Baffles | 132 |
| 71 Flue Collar | 133 |
| 72 Flue Dampers, Draft Regulator, and Draft Hoods | 133 |
| 73 Controls | 134 |
| 73.1 Application | 134 |
| 73.2 Operating controls | 134 |
| 73.3 Limit controls | 134 |
| 73.4 Primary safety control | 135 |
| 73.5 Liquid level limit controls | 135 |
| 73.6 Pressure limit controls | 136 |
| 73.7 Temperature limit controls | 136 |
| 73.8 Safety shut-off valves | 136 |
| 74 Installation of External Controls and Fittings | 136 |

PERFORMANCE

| | |
|--|-----|
| 75 General | 137 |
| 76 Test Installation for Standard Clearances | 139 |
| 76.1 Enclosure | 139 |
| 76.2 Chimney connector | 141 |
| 77 Initial Test Conditions | 145 |
| 78 Combustion – Test No. 1 | 146 |
| 79 Limit Control Cutout – Test No. 2 | 147 |
| 80 Continuous Operation Temperatures– Test No. 3 | 148 |
| 81 Low Water Cutoff – Test No. 4 | 149 |

PART IV – FURNACES AND HEATERS

CONSTRUCTION

| | | |
|------|---|-----|
| 82 | Assembly | 149 |
| 83 | Accessibility | 150 |
| 84 | Air Filters | 151 |
| 85 | Baffles | 151 |
| 86 | Burner Equipment | 151 |
| 87 | Controls | 151 |
| 87.1 | General | 151 |
| 87.2 | Limit Controls | 151 |
| 88 | Bases | 152 |
| 89 | Heating Surfaces and Combustion Chambers | 153 |
| 90 | Radiation Shields | 153 |
| 91 | Materials in Air Handling Compartments | 153 |
| 92 | Casings | 155 |
| 93 | Fuel Lines and Components | 156 |
| 94 | Flue Collars | 156 |
| 95 | Flue Dampers, Draft Regulators, and Draft Hoods | 156 |

PERFORMANCE

| | | |
|------|--|-----|
| 96 | General | 156 |
| 97 | Test Installations | 158 |
| 97.1 | Floor-mounted devices | 158 |
| 97.2 | Suspended furnaces | 158 |
| 97.3 | Unit heaters | 164 |
| 97.4 | Test ducts for furnaces | 164 |
| 98 | Initial Test Conditions | 167 |
| 98.1 | General | 167 |
| 98.2 | Air temperatures in ducts | 168 |
| 98.3 | Ambient temperatures | 168 |
| 98.4 | Static pressure | 168 |
| 99 | Combustion Test – Test No. 1 | 168 |
| 100 | Limit Control Cutout – Test No. 2 | 169 |
| 101 | Continuity of Operation – Test No. 3 | 170 |
| 102 | Airflow Test – Downflow and Horizontal Furnaces – Test No. 4 | 171 |
| 103 | Temperature Tests – General | 171 |
| 104 | Continuous Operation – Test No. 5 | 172 |
| 105 | Blocked Inlet – Test No. 6 | 172 |
| 106 | Fan Failure – Test No. 7 | 172 |
| 107 | Blocked Outlet – Test No. 8 | 173 |
| 108 | Stalled Fan Motor Test | 173 |