

UL 80079-20-2

STANDARD FOR SAFETY

Explosive Atmospheres – Part 20-2: Material Characteristics – Combustible Dusts Test Methods



UL Standard for Safety for Explosive Atmospheres – Part 20-2: Material Characteristics – Combustible Dusts Test Methods, UL 80079-20-2

First Edition, Dated May 11, 2020

Summary of Topics

This revision of ANSI/UL 80079-20-2 dated September 10, 2020 is an editorial correction to replace "ANSI/UL 80079-20-1" with "ANSI/UL 80079-20-2" in the ANSI logo. No other changes have been made.

ANSI/UL 80079-20-2 is an adoption of ISO/IEC 80079-20-2 (first edition, issued by ISO/IEC February 2016 including corrigendum 1 issued March 2017). UL 80079-20-2 is an IEC-based UL standard with US Differences.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

This is a preview. Click here to purchase the full publication.

MAY 11, 2020

(Title Page Reprinted: September 10, 2020)



1

UL 80079-20-2

Standard for Explosive Atmospheres – Part 20-2: Material Characteristics – Combustible Dusts Test Methods

First Edition

May 11, 2020

This ANSI/UL Standard for Safety consists of the First Edition including revisions through September 10, 2020.

The most recent designation of ANSI/UL 80079-20-2 as an American National Standard (ANSI) occurred on May 11, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

This is a preview. Click here to purchase the full publication.

No Text on This Page

CONTENTS

Preface	e (UL)	5
Nationa	al Differences	9
FOREV	VORD	11
1	Scope	
	1DV Modification of Clause 1 to replace with the following:	
2	Normative references	
_	2DV Modification of Clause 2 to replace with the following:	
3	Terms and definitions	
4	Dust sample requirements	
	4.1 Receipt of sample for testing	
	4.2 Characterisation of sample	
	4.3 Preparation of sample	
_	4.4 Test conditions	
5	Combustible dusts and combustible flyings determination	
	5.1 Test sequence	
6	Procedure for characterisation of combustible dust or combustible flying	
7	Test methods for determination of whether a material is a combustible dust or a combustible	19
,	flying	23
	7.1 Modified Hartmann tube	
	7.2 20-litre sphere	
	7.3 Alternative method to 20-litre sphere for small test material quantities	
8	Test methods for combustible dust determinations	
ŭ	8.1 MIT of a dust cloud	
	8.2 Test for MIT of dust layer	
	8.3 Method for determining minimum ignition energy of dust/air mixtures	
	8.4 Test on resistivity	
9	Test report	
Annex	A (normative) Measurement of temperature distribution on the surface of the hot plate	
Annex	B (informative) Godbert-Greenwald oven (GG)	
Annex	C (informative) Examples of spark-generating systems	
C.		
C.:	2 Triggering by auxiliary spark using three-electrode system	40
C.	3 Triggering by electrode movement	42
C.	4 Triggering by voltage increase (trickle-charging circuit)	43
C.		
	discharge circuit	44

Annex D (normative) Vertical tube (modified Hartmann tube) apparatus

Annex E (informative) 20-litre sphere

Annex F (informative) BAM oven

Annex G (informative) Data for dust explosion characteristics

Annex H (informative) 1 m³ vessel

H.1	Test principle	.53
	Test apparatus	
	Test conditions.	
	rocedure	

Bibliography