



UL 60384-14

STANDARD FOR SAFETY

Fixed Capacitors for Use in Electronic Equipment
– Part 14: Sectional Specification: Fixed
Capacitors for Electromagnetic Interference
Suppression and Connection to the Supply Mains

Fixed Capacitors for Use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains, UL 60384-14

Second Edition, Dated July 11, 2014

Summary of Topics

The revisions to the Standard for Safety for Fixed Capacitors for Use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains, UL 60384–14, are being issued to reflect the latest ANSI approval date, and to incorporate the following changes in requirements:

- ***Removal of Figure 9DVD2 modification.***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated April 28, 2017.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

JULY 11, 2014
(Title Page Reprinted: June 1, 2017)



ANSI/UL 60384-14-2017

1

UL 60384-14

Safety Requirements for Fixed Capacitors for Use in Electronic Equipment

– Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic

Interference Suppression and Connection to the Supply Mains

First Edition – April, 2009

Second Edition

July 11, 2014

This ANSI/UL Standard for Safety consists of the Second Edition including revisions through June 1, 2017.

The most recent designation of ANSI/UL 60384-14 as an American National Standard (ANSI) occurred on June 1, 2017. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2017 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

Preface (UL)	6
NATIONAL DIFFERENCES	7
FOREWORD	8
1 General	10
1.1 Scope	10
1.2 Object	10
1.3 Normative references	10
1.4 Information to be given in a detail specification	11
1.5 Terms and definitions	13
1.6 Marking	21
1.7 Classification of Class X and Class Y capacitors	22
2 Preferred ratings and characteristics	26
2.1 Preferred characteristics	26
2.2 Preferred values of ratings	26
2.3 Requirements for sleeving, tape, tubing and wire insulation	28
3 Assessment procedures	28
3.1 Primary stage of manufacture	28
3.2 Structurally similar components	28
3.3 Certified records of released lots	28
3.4 Approval testing	28
3.5 Quality conformance inspection	39
4 Test and measurement procedures	42
4.1 Visual examination and check of dimensions	43
4.2 Electrical tests	44
4.3 Robustness of terminations	48
4.4 Resistance to soldering heat	49
4.5 Solderability	49
4.6 Rapid change of temperature	50
4.7 Vibration	50
4.8 Bump	51
4.9 Shock	52
4.10 Container sealing	53
4.11 Climatic sequence	53
4.12 Damp heat, steady state	55
4.13 IMPULSE VOLTAGE	56
4.14 Endurance	58
4.15 Charge and discharge	61
4.16 Radiofrequency characteristics	63
4.17 PASSIVE FLAMMABILITY test	63
4.18 ACTIVE FLAMMABILITY test	64
4.19 Component solvent resistance (if applicable)	67
4.20 Solvent resistance of the marking	67

Annex A (normative) Circuit for the IMPULSE VOLTAGE test**Annex B (normative) Circuit for the endurance test****Annex C (normative) Circuit for the charge and discharge test****Annex D (normative) Declaration of design (confidential to the manufacturer and the certification body)****Annex E (informative) Pulse test circuits****Annex F (normative) Particular requirements for safety test of surface mounting capacitors**

F.1 General	76
F.2 Test and measurement procedures	76

Annex G (informative) Capacitance ageing of fixed capacitors of ceramic dielectric, Class 2

G.1 Overview	79
G.2 Law of capacitance ageing	79
G.3 Capacitance measurements and capacitance tolerance	80
G.4 Special preconditioning	81

Annex H (normative) Use of safety approved a.c. rated capacitors in d.c. applications

H.1 Overview	82
H.2 Background	82
H.3 Terms and definitions	82
H.4 Additional requirement for use of X- and Y-capacitors in d.c. applications	82

Annex I (normative) Humidity robustness grades for applications, where high stability under high humidity operating conditions is required

I.1 Overview	84
I.2.1 Grade (I) robustness under humidity	84
I.2.2 Grade (II) robustness under high humidity	84
I.2.3 Grade (III) high robustness under high humidity	85
I.3 Indication of humidity robustness grades	85

No Text on This Page

Preface (UL)

This UL Standard is based on IEC Publication 60384-14: Fourth Edition, Safety Requirements for Fixed Capacitors for Use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains. IEC publication 60384-14 is copyrighted by the IEC.

This is the UL Standard for Safety for Fixed Capacitors for Use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains.

The text, figures and tables of IEC publication 60384-14, Safety Requirements for Fixed Capacitors for Use in Electronic Equipment – Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains copyright June, 2013 are used in this Standard with the consent of the IEC and the American National Standards Institute (ANSI). The IEC copyrighted material has been reproduced with permission from ANSI. ANSI should be contacted regarding the reproduction of any portion of the IEC material. The IEC Foreword and Introduction are not a part of the requirements of this Standard but are included for information purposes only. Copies of IEC Publication 60384-14 may be purchased from ANSI, 11 West 42nd Street, New York, New York, 10036, (212) 642-4900.

Note – Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

These materials are subject to copyright claims of IEC, ANSI, and UL. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of UL. All such requests pertaining to the ANSI/UL 60384-14 Standard should be submitted to UL.

The previous version of UL 60384-14 included national differences to the following IEC requirements: Clauses 2.26, 2.3, 4.14.1, 4.17 and Figure 9. These national differences were deleted in this version of UL 60384-14.

NATIONAL DIFFERENCES

There are five types of National Differences as noted below. The difference type is noted on the first line of the National Difference in the standard. The standard may not include all types of these National Differences.

DR – These are National Differences based on the **national regulatory requirements**.

D1 – These are National Differences which are based on **basic safety principles and requirements**, elimination of which would compromise safety for consumers and users of products.

D2 – These are National Differences from IEC requirements based on existing **safety practices**. These requirements reflect national safety practices, where empirical substantiation (for the IEC or national requirement) is not available or the text has not been included in the IEC standard.

DC – These are National Differences based on the **component standards** and will not be deleted until a particular component standard is harmonized with the IEC component standard.

DE – These are National Differences based on **editorial comments or corrections**.

Each national difference contains a description of what the national difference entails. Typically one of the following words is used to explain how the text of the national difference is to be applied to the base IEC text:

Addition / Add - An addition entails adding a complete new numbered clause, subclause, table, figure, or annex. Addition is not meant to include adding select words to the base IEC text.

Modification / Modify - A modification is an altering of the existing base IEC text such as the addition, replacement or deletion of certain words or the replacement of an entire clause, subclause, table, figure, or annex of the base IEC text.

Deletion / Delete - A deletion entails complete deletion of an entire numbered clause, subclause, table, figure, or annex without any replacement text.