

UL 746C

STANDARD FOR SAFETY

Polymeric Materials – Use in Electrical Equipment Evaluations



UL Standard for Safety for Polymeric Materials – Use in Electrical Equipment Evaluations, UL 746C

Seventh Edition, Dated February 5, 2018

SUMMARY OF TOPICS

This revision of ANSI/UL 746C dated September 1, 2021 includes clarification of Diagnostic Test Methods as mentioned in Table 25.1.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new requirements are substantially in accordance with Proposal(s) on this subject dated May 7, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

FEBRUARY 5, 2018

(Title Page Reprinted: September 1, 2021)



1

UL 746C

Standard for Polymeric Materials - Use in Electrical Equipment Evaluations

The first edition was titled Test for Polymeric Enclosures of Portable Electrical Appliances and numbered UL 746.51.

First Edition – June, 1973 Second Edition – March, 1978 Third Edition – May, 1989 Fourth Edition – December, 1995 Fifth Edition – November, 2001 Sixth Edition – September, 2004

Seventh Edition

February 5, 2018

This ANSI/UL Standard for Safety consists of the Seventh Edition including revisions through September 1, 2021.

The most recent designation of ANSI/UL 746C as an American National Standard (ANSI) occurred on September 1, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

The Department of Defense (DoD) has adopted UL 746C on November 3, 1998. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2021 UNDERWRITERS LABORATORIES INC.

This is a preview. Click here to purchase the full publication.

No Text on This Page

CONTENTS

INTRODUCTION		
1	Scope	7
2	General	
3	Glossary	
ENCLO	SURES	
4	General	12
5	Portable Unattended Household Equipment – Alternate Path	
	5.1 General	
	5.2 Electrical connections	
	5.3 Materials adjacent to connections	
	5.4 Wire, tubing, sleeving and tape	
ELECT	RICAL INSULATION	
6	Material Property Considerations	16
	6.1 General	
	6.2 Evaluation of materials not meeting preselection test performance levels in Table 6.1	
7	Internal Barriers	22
PERFO	RMANCE CRITERIA	
8	General	23
ELECT	RICAL	
9	Comparative Tracking Index (CTI)	23
10	Dielectric Strength	
11	High Current Arc Resistance to Ignition (HAI)	24
12		
	12.1 General	25
	12.2 Abnormal overload test	25
	12.3 Glow-wire end-product test (GWEPT)	26
13	· · · · · · · · · · · · · · · · · · ·	
14		
FLAMN	IABILITY	
15	Flammability – 12 mm Flame	27
16	Flammability – 20 mm (3/4-Inch) Flame	
17	· · · · · · · · · · · · · · · · · · ·	
18		
	18.1 Test criteria	
19		
20		
	20.1 General	

MECHANICAL

21	Crushing Resistance	
22	Resistance to Impact	29
DIMENS	SIONAL CHANGE OF POLYMERIC PARTS	
DIMENS	SIGNAL CHANGE OF FOLT MERIC PARTS	
23	Creep	30
PERMA	NENCE	
24	Permanence	
	24.1 General	
	24.2 Vicat softening point	
	24.3 Heat deflection temperature	
	24.4 Ball pressure temperature	
25	Ultraviolet Light Exposure	
26	Water Exposure and Immersion	
	26.1 General	
	26.2 Dimensional change	33
005014	L END HOE CONCIDEDATIONS	
SPECIA	L END-USE CONSIDERATIONS	
27	Abnormal Operation	33
28	Severe Conditions	
20	OCYCLE CONTRIGUES	
THERM	AL	
29	Mold Stress-Relief Distortion	33
30	Input to Motor	
31	Strain-Relief Test after Mold Stress-Relief Distortion	
32	Temperature Considerations – General	
33	Functional-Use Temperature Indices	
34	Generic Thermal Indices	36
35	Relative Thermal Index	36
36	Relative Thermal Capability	37
37	Relative Thermal Capability (Alternate)	
38	Temperature Excursions Beyond the Maximum Use Temperature	41
SPECIA	LIZED APPLICATIONS	
20	General – Adhesives	40
39 40		
41	Function Analysis	
41	Program of Investigation	
	41.1 End-product evaluation	
40	41.2 Effect of environmental conditions	
42 43	Conformal Contings	
43	Conformal Coatings	43
METALI	LIZED PARTS	
44	Conoral	40
44 45	General Ductile Coatings	
	Brittle Coatings	
40	DIILLIG OVALII 143	

TEST PERFORMANCE

47	General	41
71	47.1 Details	
	47.1 Details 47.2 Voltmeters	
	47.3 Cheesecloth indicators	
40	47.4 Supply-circuit voltage and frequency	
48	End-Product Arc Resistance Test	
49	Abnormal Overload Test	
50	Flammability – 12 mm Flame Test	
51	Flammability – 20 mm (3/4 Inch) Flame Test	
52	Flammability – 127 mm (5 inch) Flame Test	
53	Enclosure Flammability – 746-5VS Test	
	53.1 Apparatus	51
	53.2 Plaque conditioning	51
54	Flame-Retardant Coatings Test	53
	54.1 Specimen conditioning	53
	54.2 Test methods	
	54.3 Other considerations	
55	Crushing Resistance Test	
56	Resistance to Impact Test	
57	Ultraviolet Light Exposure Test	
01	57.1 Apparatus	
	57.2 Method	
58	Water Exposure and Immersion Test.	
	Abnormal Operation Test	
59	Severe Conditions Test	
60		
61	Mold Stress-Relief Distortion Test	
62	Ball Pressure Test on End-Product	
63	Input to Motors Test	
64	Relative Thermal Capability	
65	Relative Thermal Capability (Alternate)	
66	Temperature Excursions Beyond the Maximum Use Temperature	
67	Temperature Considerations – Illustrative Example	
68	Temperature Considerations – Illustrative Example (Alternate RTC)	.72
69	Adhesives – Specialized Applications	74
	69.1 General	74
	69.2 As-received test	74
	69.3 Effect of temperature	74
	69.4 Effect of humidity	
	69.5 Effect of cold	
	69.6 Effect of cyclic conditions	
	69.7 Other test considerations	
COIL FO	DMC	
COIL FO	KWS	
70	O (10 " T (
70	Conformal Coating Test	
71	Tape Adhesion Test	
	71.1 General	
	71.2 Samples	
	71.3 Coating thickness measurement	
	71.4 Sample preparation	
	71.5 Conditioning	
	71.6 Results	
72	Leakage Current Test	79
73	Glow-Wire End-Product Test	

	73.1 General	8′ 8′
MARKIN	IG	
74	General	8′
APPEND	DIX A Guidelines for Evaluation of Substitute Polymeric Materials	
Δ1	Alternate Enclosure Material Considerations	83