



UL 60320-3

STANDARD FOR SAFETY

Appliance Couplers for Household and
Similar General Purposes – Part 3:
Standard Sheets and Gauges

UL Standard for Safety for Appliance Couplers for Household and Similar General Purposes – Part 3:
Standard Sheets and Gauges, UL 60320-3

First Edition, Dated February 15, 2019

Summary of Topics

This First Edition of ANSI/UL 60320-3 is an adoption IEC 60320-3, First Edition issued October 2014. Please note that the National Difference document incorporates all of the U.S. national differences for UL 60320-3.

The new requirements are substantially in accordance with Proposal(s) on this subject dated June 8, 2018.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



CSA Group
CSA C22.2 No. 60320-3:19
First Edition
(IEC 60320-3:2014, MOD)



Underwriters Laboratories Inc.
UL 60320-3
First Edition

Appliance Couplers for Household and Similar General Purposes – Part 3: Standard Sheets and Gauges

February 15, 2019

This national standard is based on publication IEC 60320-3, First Edition (2014).



ANSI/UL 60320-3-2019



[This is a preview. Click here to purchase the full publication.](#)

Commitment for Amendments

This standard is issued jointly by the the Canadian Standards Association (operating as “CSA Group”) and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

ISBN 978-1-4883-1685-2 Copyright © 2019 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to inquires@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2019 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the First Edition.

The most recent designation of ANSI/UL 60320-3 as an American National Standard (ANSI) occurred on February 15, 2019. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

Preface	9
NATIONAL DIFFERENCES	11
FOREWORD	13
1 Scope	15
1DV Modify Clause 1 by replacing the first sentence with the following:	15
2 Normative references	15
2DV Modify Clause 2 by replacing the IEC reference with the following:	15
3 Terms and definitions	15
3DV Modify Clause 3 by replacing it with the following:	15
4 General requirements	16
Table 1DV Modify Table 1 by replacing it with Table 1DV:	19
Table 2DV Modify Table 2 by replacing it with Table 2DV:	22
5 Standard sheets for appliance couplers	23
5.1 General	23
5.1DV Modify Clause 5.1 by replacing the first sentence with the following:	23
5.2 Position of switch cams	23
6 Gauges	24
6.1 General	24
6.2 Distance to the point of first contact	24
6.3 "GO" gauge for connectors to standard sheet C1	24
6.4 "GO" gauge for connectors to standard sheet C5	25
6.5 "GO" -gauge for connectors to standard sheet C7	26
6.6 "GO" -gauge for side-entry connectors to standard sheet C7	26
6.7 "NOT-GO" gauge for connectors to standard sheets C1	27
6.8 "NOT-GO" gauge for connectors to standard sheets C1 , C5 and C7	28
6.9 "NOT-GO" gauge for connectors to standard sheets C1 and C7	29
6.10 Blades for checking the resistance against deformation of the front part of the connector to standard sheet C7	30
6.11 "NOT-GO" gauge for appliance inlets to standard sheets C8 , C8A and C8B	31
6.12 "GO" gauge for connectors to standard sheet C9	32
6.13 "NOT-GO" gauge for connectors to standard sheet C9	33
6.14 "GO" gauge for appliance inlets to standard sheets C10	34
6.15 "GO" gauge for connectors to standard sheet C13	36
6.16 "NOT-GO" gauge for connectors to standard sheets C13 and C17	37
6.17 "GO" gauge for appliance inlets to standard sheets C14 , C16 and C18	38
6.18 "GO" gauge for connectors to standard sheet C15	38
6.19 "GO" gauge for connectors to standard sheet C17	39
6.20 "GO" gauge for connectors to standard sheet C19	41
6.21 "GO" gauge for appliance inlets to standard sheets C20 and C24	41
6.22 "GO" gauge for connectors to standard sheet C21	42
6.23 "GO" gauge for appliance inlets to standard sheet C22	43
6.24 "GO" gauge for connectors to standard sheet C23	44
6.25 "NOT-GO" gauge for connectors to standard sheets C13 , C15 and C17	45
6.26 "GO" gauge for connectors to standard sheet C15A	46
6.27 "GO" gauge for appliance inlets to standard sheet C16A	47
6.28 "GO" gauge for appliance outlets to standard sheet F	48
6.29 "GO" gauge for appliance outlets to standard sheet H	49
6.30 "GO" gauge for appliance outlets to standard sheet J	50
6.31 "GO" gauge for appliance outlets to standard sheet L	51

6.32 Gauges for checking the distance from the engagement face of connectors and appliance outlets to the point of first contact.....	52
Standard sheet C1 Connector for 0,2 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)	
C1DV Modify by replacing the title as follows:	54
Standard sheet C2 Appliance inlet 0,2 A / 250 V for class II equipment in cold conditions	
C2DV Modify by replacing the title as follows:	56
Standard sheet C5 Connector for 2,5 A / 250 V for use in class I equipment in cold conditions (non-rewirable only)	
C5DV Modify by replacing the title as follows:	57
Standard sheet C6 Appliance inlet 2,5 A / 250 V for class I equipment in cold conditions	
C6DV Modify by replacing the title as follows:	59
Standard sheet C7 Connector for 2,5 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)	
C7DV.1 Modify by replacing the title as follows:.....	61
C7DV.2 Modify Standard sheet C7 by replacing the fourth paragraph with the following:	61
Standard sheet C8 Appliance inlet 2,5 A / 250 V for class II equipment in cold conditions	
C8DV Modify by replacing the title as follows:	63
Standard sheet C8A Appliance inlet 2,5 A / 250 V for class II equipment in cold conditions	
C8ADV Modify by replacing the title as follows:.....	64
Standard sheet C8B Appliance inlet 2,5 A / 250 V for class II equipment in cold conditions – for alternative connection of the equipment to two different main voltages	
C8BDV Modify by replacing the title as follows:.....	65
Standard sheet C9 Connector for 6 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)	
Standard sheet C10 Appliance inlet 6 A / 250 V for class II equipment in cold conditions	
Standard sheet C13 Connector for 10 A / 250 V for use in class I equipment in cold conditions	
C13DV Modify by replacing the title as follows:	69
Standard sheet C14 Appliance inlet 10 A / 250 V for class I equipment in cold conditions	

C14DV Modify by replacing the title as follows:	70
Standard sheet C15 Connector for 10 A / 250 V for use in class I equipment in hot conditions	
C15DV Modify by replacing the title as follows:	72
Standard sheet C15A Connector for 10 A / 250 V for use in class I equipment in very hot conditions	
C15ADV Modify by replacing the title as follows:	74
Standard sheet C16 Appliance inlet 10 A / 250 V for class I equipment in hot conditions	
C16DV Modify by replacing the title as follows:	76
Standard sheet C16A Appliance inlet 10 A / 250 V for class I equipment in very hot conditions	
C16ADV Modify by replacing the title as follows:	78
Standard sheet C17 Connector for 10 A / 250 V for use in class II equipment in cold conditions(non-rewirable only)	
C17DV Modify by replacing the title as follows:	80
Standard sheet C18 Appliance inlet 10 A / 250 V for class II equipment in cold conditions	
C18DV Modify by replacing the title as follows:	82
Standard sheet C19 Connector for 16 A / 250 V for use in class I equipment in cold conditions	
C19DV Modify by replacing the title as follows:	84
Standard sheet C20 Appliance inlet 16 A / 250 V for class I equipment in cold conditions	
C20DV Modify by replacing the title as follows:	85
Standard sheet C21 Connector for 16 A / 250 V for use in class I equipment in very hot conditions	
C21DV Modify by replacing the title as follows:	86
Standard sheet C22 Appliance inlet 16 A / 250 V for class I equipment in very hot conditions	
C22DV Modify by replacing the title as follows:	88
Standard sheet C23 Connector for 16 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)	
C23DV Modify by replacing the title as follows:	90
Standard sheet C24 Appliance inlet 16 A / 250 V for class II equipment in cold conditions	
C24DV Modify by replacing the title as follows:	91

Standard sheet C25 Provision for retaining devices

Standard sheet A Plug connector for 2,5 A / 250 V for use in class I equipment in cold conditions (non-rewirable only)

ADV Modify by replacing the title as follows: 94

Standard sheet B Appliance outlet 2,5 A / 250 V for class I equipment in cold conditions

BDV Modify by replacing the title as follows: 96

Standard sheet C Plug connector for 2,5 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)

CDV Modify by replacing the title as follows: 98

Standard sheet D Appliance outlet 2,5 A / 250 V for class II equipment in cold conditions

DDV Modify by replacing the title as follows: 100

Standard sheet E Plug connector for 10 A / 250 V for use in class I equipment in cold conditions

EDV Modify by replacing the title as follows: 102

Standard sheet F Appliance outlet 10 A / 250 V for class I equipment in cold conditions

FDV Modify by replacing the title as follows: 103

Standard sheet G Plug connector for 10 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)

GDV Modify by replacing the title as follows: 104

Standard sheet H Appliance outlet 10 A / 250 V for class II equipment in cold conditions

HDV Modify by replacing the title as follows: 106

Standard sheet I Plug connector for 16 A / 250 V for use in class I equipment in cold conditions

IDV Modify by replacing the title as follows: 107

Standard sheet J Appliance outlet 16 A / 250 V for class I equipment in cold conditions

JDV Modify by replacing the title as follows: 109

Standard sheet K Plug connector for 16 A / 250 V for use in class II equipment in cold conditions (non-rewirable only)

KDV Modify by replacing the title as follows: 110

Standard sheet L Appliance outlet 16 A / 250 V for class II equipment in cold conditions

LDV Modify by replacing the title as follows: 112

Bibliography