

**STANDARD FOR BATTERIES FOR USE IN LIGHT ELECTRIC
VEHICLE (LEV) APPLICATIONS**



ULC Standards
Normes ULC



Standards Council of Canada
Conseil canadien des normes

This is a preview. [Click here to purchase the full publication.](#)

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the criteria and procedures established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540

REGIONAL OFFICES

PACIFIC OFFICE

13775 Commerce Parkway, Suite 130
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014

The Standards Council of Canada (SCC) is the coordinating body of the Canadian standardization network, which is composed of people and organizations involved in the development, promotion and implementation of standards. Through the collaborative efforts of Canadian standardization network members, standardization is helping to advance the social and economic well-being of Canada and to safeguard the health and safety of Canadians. The network's efforts are overseen by SCC.

The principal objectives of SCC are to foster and promote voluntary standardization as a means of advancing the national economy, supporting sustainable development, benefiting the health, safety and welfare of workers and the public, assisting and protecting the consumer, facilitating domestic and international trade, and furthering international cooperation in relation to standardization.

An important facet of the Canadian standards development system is the use of the following principles: consensus; equal access and effective participation by concerned interests; respect for diverse interests and identification of those who should be afforded access to provide the needed balance of interests; mechanism for dispute resolution; openness and transparency; open access by interested parties to the procedures guiding the standards development process; clarity with respect to the processes; and Canadian interest consideration as the initial basis for the development of standards.

A National Standard of Canada (NSC) is a standard prepared or reviewed by an SCC-accredited SDO and approved by the SCC according to NSC approval requirements. Approval does not refer to the technical content of the standard, as this remains the responsibility of the SDO. An NSC reflects a consensus of a number of capable individuals whose collective interests provide, to the greatest practicable extent, a balance of representation of general interests, producers, regulators, users (including consumers) and others with relevant interests, as may be appropriate to the subject at hand. NSCs are intended to make a significant and timely contribution to the Canadian interest.

Those who have a need to apply standards are encouraged to use NSCs. These standards are subject to periodic review. Users of NSCs are cautioned to obtain the latest edition from the SDO that publishes the standard.

The responsibility for approving standards as NSCs rests with:

Standards Council of Canada
270 Albert Street
Suite 200
Ottawa, Ontario
K1P 6N7
Telephone: (613) 238-3222

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729
Fax: (613) 231-5977

E-mail: customerservice@ulc.ca
Web site: www.ulc.ca

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE



ULC Standards
CAN/ULC-S2271
First Edition



Underwriters Laboratories Inc.
ANSI/UL 2271
First Edition

Standard for Batteries for Use in Light Electric Vehicle (LEV) Applications

DECEMBER 11 2013



ANSI/UL 2271-2013

Approved by



Standards Council of Canada
Conseil canadien des normes

This is a preview. [Click here to purchase the full publication.](#)

Commitment for Amendments

This Standard is issued jointly by Underwriters Laboratories Inc. (UL) and ULC Standards. Amendments to this Standard will be made only after processing according to the Standards writing procedures by UL and ULC Standards.

UL and ULC Standards are separate and independent entities and each is solely responsible for its operations and business activities. The UL trade names and trademarks depicted in this document are the sole property of Underwriters Laboratories Inc. The ULC Standards trade names and trademarks depicted in this document are the sole property of ULC Standards.

ISSN 0317-526X Copyright © 2013 ULC Standards

All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, whatsoever without the prior permission of the publisher.

In Canada, written comments are to be sent to the ULC Standards, 400 – 171 Nepean Street, Ottawa, Ontario K2P 0B4. Proposals should be submitted on a Standards Revision Request Form available from ULC Standards.

Permission to use material from ISO 12405-1 and Figure 3-C from Table 6 of IEC 60529 was provided by Standards Council of Canada. No further reproduction is permitted without prior written approval from Standards Council of Canada.

Copyright © 2013 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the First Edition.

The most recent designation of ANSI/UL 2271 as an American National Standard (ANSI) occurred on December 11, 2013. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

© IEC. Figure 1 is reproduced from Figure 3-C from Table 6 of IEC 60529, Ed. 2.1 b:2001 with permission of the USNC on behalf of IEC. No part of this material may be copied or reproduced in any form or made publicly available without the prior written consent of the UNSC.

This UL Standard was developed using text from ISO 12405-1. The ISO copyrighted material from ISO 12405-1 is used in 30.1 (including Tables 6 and 7) with permission of the American National Standards Institute (ANSI) on behalf of ISO. All rights reserved.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

To purchase UL Standards, visit Comm 2000 at http://www.comm-2000.com/help/how_to_order.aspx or call toll-free 1-888-853-3503.

ULC Preamble

International Classification for Standards (ICS): 29.220; 43.120

Attention is drawn to the possibility that some of the elements of this Canadian standard may be the subject of patents rights. ULC Standards shall not be held responsible for identifying any or all such patents rights.

This Standard is intended to be used for conformity assessment.

The First Edition of this ULC Standard was based on, and superseded, the First Edition of Subject 2271.

The initiation of the review of this Standard will commence within 5 years of the date of publication, unless the Standard is identified as fitting within a stabilized category, whereby the review will commence within the appropriate time frame set out by ULC Standards.

TECHNICAL COMMITTEE ON BATTERIES FOR ELECTRIC VEHICLES (EVs)

Name	Affiliation	Region	Category
A. Archambault	Bathium Canada Inc	Canada	Producer
S. Arimori	SABIC Innovative Plastics	Japan	User
P. Arora	DuPont	USA	General Interest
C. Bender	Tennant Company	USA	User
O. Böse	SK Continental E-motion Germany GmbH	Germany	Producer
W. Choi	LG Chemical	Korea	Producer
T. De Lucia	A123Systems	USA	Producer
W. Densham III	O2Micro Battery	USA	User
Y. Ding	US Army —Ground Vehicle Power & Mobility	USA	Regulator
D. Doughty	Battery Safety Consulting Inc.	USA	General Interest
L. Dunn	Nacco Materials Handling Group	USA	User
G. Ekstrom	Natural Resources Canada CanmetENERGY	Canada	Regulator
J. Haruhara	Polyplastics Co., Ltd.	Japan	User
R. Hoemsen	Red River College	Canada	General Interest
J. Jeevarajan	NASA - Johnson Space Center	USA	Regulator
H. Kamath	EPRI	USA	General Interest
R. Lankin	Accelerated Systems Inc.	Canada	User
A. Masias	Ford Motor Company	USA	User
N. Meyer	Transport Canada	Canada	Regulator
J. Pereira	E-One Moli Energy	Canada	Producer
J. Pinon	Hybrid Design Services, Inc.	USA	General Interest
R. Ramanathan	Dow Kokam LLC	USA	Producer
G. Ressler	General Motors Co.	USA	Producer
E. Shen	Tesla Motors, Inc.	USA	Producer
G. Shih	Automotive Research Testing Center	Taiwan	General Interest
S. Subramaniam	Electrovaya Corp.	Canada	Producer
M. G. Theivanayagam	The Dow Chemical Co	USA	General Interest
J. Thompson	Nissan Technical Center	USA	Producer

Table (Continued)

Name	Affiliation	Region	Category
Y. Tozuka	Mitsubishi Motors Corporation	Japan	User
M. Vakrat Wolkin	Better Place	USA	User
A. Wong	ATL	USA	Producer
D. Wu	Consultant	Taiwan	General Interest
G. Wu	BYD Com Ltd	China	Producer
R. Byczek	Intertek	USA	Associate (Non-Voting)
R. deMesa	California Energy Commission	California	Associate (Non-Voting)
L. Florence	UL LLC	USA	Associate (Non-Voting)
P. Gorney	US Dept. of Transportation	USA	Associate (Non-Voting)
J. Leber	SGS	USA	Associate (Non-Voting)
D. Lowry	US Army Research Laboratory	USA	Associate (Non-Voting)
C. Michot	INERIS	France	Associate (Non-Voting)
G. Rech	CETECOM ICT Services GmbH	Germany	Associate (Non-Voting)
M. Ramlochan (Project Manager)	ULC Standards	Canada	Non-Voting

This list represents the membership at the time the Committee balloted on the final text of this edition. Since that time, changes in the membership may have occurred.

CONTENTS

ULC Preamble	5
Preface	9
A INTRODUCTION	10
1 Scope	10
2 Components	10
3 Units of Measurement	10
4 Undated References	11
5 Reference Publications	11
6 Glossary	14
B CONSTRUCTION	17
7 Non-Metallic Materials	17
8 Metallic Parts Resistance to Corrosion	18
9 Enclosures	19
10 Wiring and Terminals	19
11 Fuses	20
12 Handles	20
13 Electrical Spacings and Separation of Circuits	21
14 Insulation Levels and Protective Grounding	22
15 Protective Circuit and Safety Analysis	23
16 Cells and Electrochemical Capacitors	25
17 Manufacturing and Production Line Testing	26
C PERFORMANCE	27
18 General	27
19 Combustible Concentrations	28
20 Tolerances	28
21 Post Test Cycle	29
22 Results Criteria	29
D ELECTRICAL TESTS	29
23 Overcharge Test	29
24 Short Circuit Test	30
25 Overdischarge Test	31
26 Temperature Test	32
27 Imbalanced Charging Test	33
28 Dielectric Voltage Withstand Test	34
29 Isolation Resistance Test	35
E MECHANICAL TESTS	36
30 Vibration Endurance Test	36
31 Shock Test	37
32 Crush Test	38
33 Drop Test	39
34 Mold Stress Relief Test	41
35 Handle Loading Test	41
36 Roll Over Test	42
37 Strain Relief Tests (Cord Anchorages)	43
F ENVIRONMENTAL TESTS	44
38 Immersion Test	44
39 Water Exposure Test (IP Code Rating)	44
40 Thermal Cycling Test	45

41 Label Permanence Test	46
G MARKING	47
42.1 General	47
H INSTRUCTIONS	48
43 General	48
44 TABLES	49
45 FIGURES	53

ANNEX A (NORMATIVE)

A1 Component Standards	A1
------------------------------	----

ANNEX B (NORMATIVE) Corrosion Chart