



**CAN/ULC-S559-13-R2018
(Reaffirmed 2018)**

**STANDARD FOR EQUIPMENT FOR FIRE SIGNAL RECEIVING
CENTRES AND SYSTEMS**



Standards Council of Canada
Conseil canadien des normes

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the requirements and guidance established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540

REGIONAL OFFICES

PACIFIC OFFICE

13775 Commerce Parkway, Suite 130
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729

To purchase ULC Standards, visit: www.ulc.ca/ulcstandards

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for the particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

Standard for Equipment for Fire Signal Receiving Centres and Systems, CAN/ULC-S559-13-R2018

Second Edition, Dated January 2013

Summary of Topics

This revision of CAN/ULC-S559 is being issued to update the title page to reflect the reaffirmation of this Second Edition National Standard of Canada. No changes in requirements are involved.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated May 18, 2018.

PLEASE NOTE THAT CERTAIN CODES MAY REFER TO A SUPERSEDED VERSION OF THIS STANDARD. IN THOSE INSTANCES, THE RELEVANT VERSIONS ARE AVAILABLE FOR PURCHASE.

No Text on This Page



STANDARD FOR EQUIPMENT FOR FIRE SIGNAL RECEIVING CENTRES AND SYSTEMS

ICS 13.220.20; 13.320; 13.310



First EditionMay 2004
SECOND EDITION**JANUARY 2013**
REAFFIRMED.....OCTOBER 2018

Copyright © 2018

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

TABLE OF CONTENTS

ULC STANDARDS COMMITTEE ON FIRE ALARM AND LIFE SAFETY EQUIPMENT AND SYSTEMS	I
PREFACE	II
1 SCOPE	1
2 REFERENCE PUBLICATIONS	2
3 GLOSSARY	4
4 SYSTEM REQUIREMENTS	6
4.1 GENERAL	6
4.2 MAIN POWER SUPPLY	7
4.3 EMERGENCY POWER SUPPLY	8
4.4 CIRCUIT PROTECTION	8
4.5 INPUT CIRCUIT OPERATION	9
4.6 OUTPUTS CIRCUIT OPERATION	10
4.7 VISUAL DISPLAYS, CONTROLS AND RECORDING DEVICES	11
4.8 MANUAL CONTROLS	13
5 COMMUNICATION SYSTEMS	13
5.1 GENERAL	13
5.2 COMMUNICATION TYPES	14
5.3 ACTIVE COMMUNICATION SYSTEMS	15
5.4 PASSIVE COMMUNICATION SYSTEMS	15
6 SOFTWARE-CONTROLLED EQUIPMENT	15
7 INSTRUCTIONS AND DRAWINGS	17
8 CONSTRUCTION	18
8.1 PRODUCT ASSEMBLY	18
8.2 PROTECTION OF SERVICE PERSONNEL	18
8.3 ENCLOSURES	19
8.3.1 General	19
8.3.2 Enclosure Strength and Integrity	20
8.3.3 Stability	20
8.3.4 Protection from Electric Shock	21
8.3.5 Confinement of Fire Hazards	22
8.3.6 Enclosure Openings – General	23
8.3.7 Enclosure Openings – Top	23
8.3.8 Enclosure Openings – Sides and Front	23
8.3.9 Enclosure Openings – Bottom	24
8.3.10 Cast Metal Enclosures	24
8.3.11 Sheet Metal Enclosures	24
8.3.12 Nonmetallic Enclosures	25

8.3.13	Screens and Expanded Metals	26
8.3.14	Enclosure Cover	26
8.3.15	Corrosion Protection	27
8.4	MECHANICAL ASSEMBLY	27
8.5	FIELD WIRING CONNECTIONS	28
8.5.1	General	28
8.5.2	Field Wiring Compartment	28
8.5.3	Field Wiring Leads	29
8.5.4	Field Wiring Terminals (Standard Application)	30
8.5.4.1	General	30
8.5.4.2	Types and Sizes	30
8.5.4.3	Size of Screws	30
8.5.4.4	Material for Terminal Parts	30
8.5.4.5	Terminal Plates and Threading	31
8.5.4.6	Identification	31
8.5.5	Field Wiring Terminals (Custom Application)	31
8.5.5.1	General	31
8.5.5.2	Quick Connect Terminals	31
8.5.5.3	Push-In Terminals	32
8.5.5.4	Other Terminals	32
8.6	INTERNAL WIRING	32
8.6.1	General	32
8.6.2	Separation of Circuits	33
8.7	COMPONENTS – ELECTRICAL	33
8.7.1	Mounting of Components	33
8.7.2	Insulating Materials	33
8.7.3	Current-Carrying Parts	34
8.7.4	Bushings	34
8.7.5	Semiconductors	34
8.7.6	Transformers, Relays	34
8.7.6.1	General	34
8.7.6.2	Isolation Transformers	35
8.7.6.3	Bobbins	35
8.7.6.4	Leads	35
8.7.6.5	Protection Against Fire Hazards	36
8.7.7	Capacitors	37
8.7.8	Storage Batteries	37
8.7.9	Protective Devices	38
8.7.10	Overcurrent Protection	39
8.8	PRINTED-WIRING BOARDS	39
8.9	END-OF-LINE DEVICES	39
8.10	VOLTAGE-DROPPING RESISTORS	39
8.11	SWITCHES	39
8.12	OPERATING MECHANISMS	39
8.13	ACROSS-THE-LINE COMPONENTS	40
8.14	LITHIUM BATTERIES	40
8.15	SPACINGS	40
9	MARKING	42
9.1	GENERAL	42
9.2	IDENTIFICATION AND RATING	42
9.3	CAUTIONS OR WARNINGS	43

10 PERFORMANCE TESTS	45
10.1 GENERAL	45
10.2 NORMAL OPERATION	45
10.3 ELECTRICAL SUPERVISION	46
10.4 ELECTRICAL RATINGS TEST	46
10.4.1 Power Input Circuits	46
10.4.2 Other External Circuits	46
10.5 BATTERY TESTS	47
10.5.1 General	47
10.5.2 Discharged Battery	47
10.5.3 Charged Battery	47
10.5.4 Discharged Battery - Second Trial	48
10.5.5 Battery Charger Test	48
10.5.6 Battery Compartment Ventilation	48
10.6 VARIABLE VOLTAGE OPERATION TEST	48
10.7 TEMPERATURE RISE	49
10.8 DIELECTRIC VOLTAGE-WITHSTAND TEST	51
10.9 ELECTRIC SHOCK CURRENT TEST	51
10.10 VARIABLE AMBIENT TEMPERATURE AND HUMIDITY TEST	53
10.10.1 General	53
10.10.2 Low Temperature Test	54
10.10.3 High Temperature Test	54
10.10.4 Humidity Test	55
10.10.5 Wet Location and Outdoor-Use Test	55
10.10.5.1 General	55
10.10.5.2 Corrosion Tests	55
10.10.5.2.1 General	55
10.10.5.2.2 Salt Spray Test	56
10.10.5.2.3 Hydrogen Sulphide (H ₂ S) Test	56
10.10.5.2.4 Sulphur-Dioxide/Carbon-Dioxide (SO ₂ -CO ₂) Test	56
10.10.5.3 Dust Test	56
10.10.5.4 Water Spray Test	57
10.10.5.5 Gasket Testing	57
10.10.5.5.1 General	57
10.10.5.5.2 Gasket Accelerated Aging Test	58
10.10.5.5.3 Gasket Low Temperature Test – Outdoor Use	58
10.10.5.6 Polymeric materials tests	58
10.11 JARRING TEST	58
10.12 ENDURANCE TEST	59
10.12.1 General	59
10.12.2 Integral Operating Devices	60
10.12.3 Power Supplies	60
10.12.4 Battery Charger	60
10.12.5 Printers	60
10.12.6 Audible Signal Device	60
10.13 OVERLOAD TEST	60
10.13.1 Products Supplied From AC Power	60
10.13.2 Separately Energized Circuits	61
10.13.3 Battery Charger Transfer Mechanism	61
10.14 TRANSIENT TEST	62
10.14.1 General	62
10.14.2 Externally-Induced Supply-Line Transients	62

10.14.3	Internally-Induced Transients	62
10.14.4	Input/Output (Extra Low Voltage) Field-Wiring Transients	63
10.15	ELECTROSTATIC DISCHARGE TEST	63
10.16	RADIO FREQUENCY INTERFERENCE TEST	64
10.17	EVALUATION OF CONFORMAL COATINGS ON PRINTED WIRING BOARDS ...	64
10.17.1	Test Program I	64
10.17.2	Test Program II	65
10.18	TESTS ON SPECIAL TERMINAL ASSEMBLIES	65
10.18.1	General	65
10.18.2	Mechanical Pull Test	66
10.18.3	Flexing Test	66
10.18.4	Millivolt Drop Test	66
10.18.5	Temperature Test	66
10.19	STRAIN RELIEF TEST	66
10.20	ABNORMAL OPERATION TESTS	67
10.20.1	General	67
10.20.2	Operation	68
10.20.3	Field-Wiring Circuits	68
10.20.4	Electronic Components	68
10.20.5	Cooling Fans And Blowers	68
10.20.6	Transformer Power Supply Burnout	69
10.20.7	Communications Circuits Out	70
10.21	MECHANICAL STRENGTH TESTS FOR ENCLOSURES	70
10.22	FLAME TEST FOR POLYMERIC MATERIALS	70
10.22.1	General	70
10.22.2	Flammability Test for Fire Enclosures of Movable Equipment Having a Total Mass Exceeding 18 kg and of Stationary Equipment	71
10.22.2.1	Samples	71
10.22.2.2	Conditioning of Samples	71
10.22.2.3	Mounting of Samples	71
10.22.2.4	Test Flame	71
10.22.2.5	Test Procedure	71
10.22.2.6	Compliance Criteria	71
10.22.3	Flammability Test for Fire Enclosures of Movable Equipment Having a Total Mass Not Exceeding 18 kg, and for Material and Components Located Inside Fire Enclosures	71
10.22.3.1	Samples	71
10.22.3.2	Conditioning of Samples	72
10.22.3.3	Mounting of Samples	72
10.22.3.4	Test Flame	72
10.22.3.5	Test Procedure	72
10.22.3.6	Compliance Criteria	72
10.23	IGNITION TEST THROUGH BOTTOM-PANEL OPENINGS	72
10.24	BATTERY REPLACEMENT	73
10.25	PERMANENCE OF MARKING	73
10.25.1	General	73
10.25.2	Environment Exposure	74
10.25.2.1	High Temperature	74
10.25.2.2	Humidity	74
10.25.3	Permanence Tests	74
10.26	LEAKAGE CURRENT TEST	74
10.27	SHORT-RANGE RADIO FREQUENCY (RF) DEVICES TEST	75
10.27.1	General	75

10.27.2	Reference Level Determination	76
10.27.3	Interference Immunity	77
10.27.4	Frequency Selectivity	77
10.27.5	Clash	78
10.27.6	Clash Error	79
10.27.7	Error (Falsing) Rate	79
10.27.8	Throughput Rate	80
10.27.9	Transmitter Stability Tests	81
10.27.10	Transmitter Accelerated Aging Test	81
10.28	LONG-RANGE RADIO FREQUENCY (RF) DEVICE TESTS	81
10.28.1	General	81
10.28.2	Reference Signal Level	82
10.28.3	Throughput Rate Test	82
10.28.4	Error (Falsing) Rate Test	82
10.28.5	Adjacent Channel Rejection Test	83
10.28.6	Intermodulation Rejection Test	83
10.28.7	Spurious Response Rejection Test	84
10.28.8	Clash	85
TABLES		86
FIGURES		100
APPENDIX A (INFORMATIVE) — EXPLANATORY NOTES		120