

# ANSI O1.1-2013



## **for Woodworking Machinery Safety Requirements**

**Secretariat  
Wood Machinery Manufacturers of America<sup>®</sup> (WMMA<sup>®</sup>)**

**Approved on August 22, 2013  
American National Standards Institute, Inc.**

This is a preview. [Click here to purchase the full publication.](#)

CONTENTS

**Forward (This forward is not part of American National Standard O1.1.) ..... xiii**

**1 Scope, purpose, and application..... 1**

    1.1 Scope .....1

        1.1.1 Machine types excluded.....1

    1.2 Purpose .....1

    1.3 Applications.....1

        1.3.1 Effective Date .....1

**2 Descriptions of woodworking machines ..... 2**

    2.1 Band/jig saw .....2

        2.1.1 Band saw .....2

        2.1.2 Jig saw .....2

    2.2 Circular saw.....2

        2.2.1 Cut-off saw .....3

            2.2.1.1 Overhead swing cut-off saw .....3

            2.2.1.2 Straight line cut-off saw.....3

            2.2.1.3 Inverted swing cut-off saw .....3

            2.2.1.4 Jump saw .....3

            2.2.1.5 Miter saw.....3

        2.2.2 Panel saw.....4

        2.2.3 Radial arm saw .....4

        2.2.4 Rip saw, power fed.....4

        2.2.5 Table saw.....4

    2.3 Cylindrical cutter machine.....5

        2.3.1 Dovetailer .....5

        2.3.2 Jointer.....5

        2.3.3 Molder/multi-head planer .....5

        2.3.4 Profiler/engraver/carver .....6

        2.3.5 Planer .....6

        2.3.6 Router.....6

        2.3.7 Shaper .....6

        2.3.8 Tenoner/trim saw.....7

    2.4 Drilling/boring/mortising machine .....7

        2.4.1 Drilling/boring machine.....7

        2.4.2 Mortiser.....7

    2.5 Lathe, wood.....7

        2.5.1 Manual lathe .....7

        2.5.2 Copying/tracer lathe .....8

        2.5.3 Back knife lathe .....8

        2.5.4 Swing-head lathe.....8

    2.6 Sanders.....8

        2.6.1 Belt sander .....8

            2.6.1.1 Manual belt sander.....8

            2.6.1.2 Power feed belt sander .....9

        2.6.2 Disc sander .....9

2.6.3 Profile sander .....9

2.6.4 Drum sander.....9

    2.6.4.1 Oscillating drum sander.....9

    2.6.4.2 Horizontal drum sander.....10

2.7 *Gluing, laminating, and laminate indexing machines*.....10

    2.7.1 Surface gluing machines.....10

    2.7.2 Edge gluing machines.....10

    2.7.3 Pressing machines.....10

        2.7.3.1 Vertical clamping platen presses.....11

        2.7.3.2 “High pressure” roll type press.....11

    2.7.4 Laminate indexing machines.....11

**3 Definitions .....11**

    3.1 A.....11

        3.1.1 abrasion.....11

        3.1.2 accessory.....11

        3.1.3 anti-kickback device/finger/dog.....12

        3.1.4 arbor.....12

        3.1.5 automatic mode.....12

        3.1.6 auxiliary fence/filler piece.....12

    3.2 B.....12

        3.2.1 barrier.....12

        3.2.2 bevel cut.....12

    3.3 C.....12

        3.3.1 crosscutting.....13

        3.3.2 crush.....13

        3.3.3 cutting.....13

    3.4 D.....13

        3.4.1 dado.....13

        3.4.2 danger zone.....13

    3.5 E.....13

        3.5.1 ejection:.....13

        3.5.2 employee.....13

        3.5.3 employer.....13

        3.5.4 enclosure guard.....14

        3.5.5 entanglement/entrapment.....14

    3.6 F.....14

        3.6.1 featherboard/comb.....14

        3.6.2 feeding.....14

        3.6.3 fence (guide).....14

        3.6.3a fence (barrier).....14

        3.6.4 fixture/jig.....14

        3.6.5 freehand.....14

    3.7 G.....14

        3.7.1 guard.....15

    3.8 H.....15

        3.8.1 hold-to-run device.....15

    3.9 I.....15

3.9.1 impact.....15

3.9.2 interlocking device .....15

3.10 J.....15

    3.10.1 jig/fixture.....15

    3.10.2 jog mode .....15

3.11 K.....15

    3.11.1 kerf .....15

    3.11.2 kickback .....15

3.12 L.....16

    3.12.1 unassigned.....16

3.13 M.....16

    3.13.1 maintenance.....16

    3.13.2 manual, instruction .....16

    3.13.3 manual mode .....16

    3.13.4 manufacturer .....16

    3.13.5 miter gauge .....16

    3.13.6 modifier.....16

3.14 N.....16

    3.14.1 nip.....16

    3.14.2 numerical control .....17

3.15 O.....17

    3.15.1 overfeed .....17

3.16 P.....17

    3.16.1 pinch, nip and crush .....17

    3.16.2 point-of-operation.....17

    3.16.3 point-of-operation area .....17

    3.16.4 projectile .....17

    3.16.5 push block .....17

    3.16.6 push stick.....18

3.17 Q.....18

    3.17.1 unassigned.....18

3.18 R.....18

    3.18.1 rabbet.....18

    3.18.2 rebuilder .....18

    3.18.3 resawing, table saw.....18

    3.18.4 ripping .....18

3.19 S.....18

    3.19.1 sawsmith .....19

    3.19.2 scoring .....19

    3.19.3 semiautomatic mode .....19

    3.19.4 setup.....19

    3.19.5 shearing.....19

    3.19.6 spreader/splitter/riving knife.....19

    3.19.7 stock .....20

    3.19.8 system designer/builder.....20

3.20 T.....20

    3.20.1 template .....20

3.20.2 thrown workpiece ..... 20

3.20.3 total connected power ..... 20

3.20.4 trapping space ..... 20

3.21 *U* ..... 20

    3.21.1 unassigned ..... 20

3.22 *V* ..... 20

    3.22.1 unassigned ..... 20

3.23 *W* ..... 21

    3.23.1 warning ..... 21

    3.23.2 woodworking machinery ..... 21

    3.23.3 workpiece ..... 21

3.24 *X* ..... 21

    3.24.1 unassigned ..... 21

3.25 *Y* ..... 21

    3.25.1 unassigned ..... 21

3.26 *Z* ..... 21

    3.26.1 unassigned ..... 21

**4 General requirements ..... 21**

    4.1 *Responsibility* ..... 21

        4.1.1 Manufacturer ..... 21

            4.1.1.1 Machine manual – general ..... 21

            4.1.1.2 Machine manual – specific ..... 22

                4.1.1.2.1 Standards ..... 22

                4.1.1.2.2 Lockout/tagout ..... 22

                4.1.1.2.3 Warnings and/or labels ..... 22

                4.1.1.2.4 Fasteners ..... 22

                4.1.1.2.5 Weight ..... 22

        4.1.2 Accessory manufacturer ..... 22

            4.1.2.1 Accessory instructions – general ..... 23

            4.1.2.2 Accessory instructions – specific ..... 23

                4.1.2.2.1 Lockout/tagout ..... 23

        4.1.3 Modifier ..... 23

            4.1.3.1 Revisions to machine manual ..... 23

        4.1.4 Rebuilder ..... 23

            4.1.4.1 EXCEPTION ..... 24

            4.1.4.3 Revisions to machine manual ..... 24

        4.1.5 System designer/builder ..... 24

            4.1.5.1 System manual ..... 24

        4.1.6 Tool/fixture/designer/builder ..... 25

        4.1.7 Training and maintenance ..... 25

            4.1.7.1 Employer responsibility ..... 25

            4.1.7.2 Manufacturer responsibility ..... 25

        4.1.8 Employee ..... 25

    4.2 *References* ..... 26

        4.2.1 Normative references ..... 26

        4.2.2 Other references ..... 27

    4.3 *Hazard identification and control* ..... 27

4.3.1 Electromagnetic compatibility hazards ..... 27

    4.3.1.1 Electromagnetic interference and compatibility requirements ..... 27

4.3.2 Electrical system hazards ..... 28

    4.3.2.1 Shock, short circuits, and overloading ..... 28

    4.3.2.2 Hazards resulting from restart after power loss or failure ..... 29

4.3.3 Pressurized systems hazards ..... 29

4.3.4 Puncture, cutting, and shear hazards ..... 29

4.3.5 Motion hazards ..... 29

4.3.6 Powered cranks, levers, or control hand wheels ..... 31

    4.3.6.1 Cranks or control hand wheels with handles ..... 31

    4.3.6.2 Control hand wheels with spokes but without handles ..... 31

    4.3.6.3 Hand wheels without spokes or projections ..... 31

4.3.7 Hazards associated with ladders/stairs, work platforms, and walkways ..... 32

4.3.8 Hazards from wood dust ..... 32

4.3.9 Anti-motion mechanism or counterbalance system ..... 32

    4.3.9.1 Counterweight ..... 32

    4.3.9.2 Spring counterbalance ..... 32

    4.3.9.3 Hydraulic or pneumatic counterbalance system ..... 32

    4.3.9.4 Brake and locking devices ..... 33

    4.3.9.5 Counterweight and support chain or cable ..... 33

4.3.10 Noise and vibration hazards ..... 33

    4.3.10.1 Noise warnings ..... 33

    4.3.10.2 Availability of noise information ..... 33

    4.3.10.3 Fasteners subject to vibration ..... 33

    4.3.10.4 Operator exposure to vibration ..... 33

4.3.11 Chemical reactions ..... 34

4.3.12 Requirements for safeguarding ..... 35

    4.3.12.1 Requirements for a fixed guard ..... 36

    4.3.12.2 Requirements for movable guards ..... 36

    4.3.12.3 Requirements for a safeguarding device ..... 36

        4.3.12.3.1 Requirements for a presence-sensing guarding device ..... 37

        4.3.12.3.2 Requirements for a pullback device ..... 37

        4.3.12.3.3 Requirements for holdout or restraint device ..... 38

        4.3.12.3.4 Requirements for a two-hand control device ..... 38

    4.3.12.4 Requirements for a shield ..... 39

    4.3.12.5 Requirements for an awareness barrier ..... 39

    4.3.12.6 Requirements for an awareness device ..... 39

4.3.13 Machine stability hazards ..... 40

    4.3.13.1 Machines designed for a fixed location ..... 40

    4.3.13.2 Casters or wheels ..... 40

    4.3.13.3 Stability tests ..... 40

4.3.14 Pinch, nip, and crush hazards ..... 40

    4.3.14.1 Positive barriers ..... 41

    4.3.14.2 Awareness barriers ..... 41

    4.3.14.3 Warning labels ..... 41

4.3.15 Hazards from workpiece ejection ..... 41

    4.3.15.1 Kickback ..... 42

    4.3.15.2 Overfeed ..... 42

    4.3.15.3 Thrown workpiece ..... 43

4.3.16 Projectiles ..... 43

4.3.17 Impact hazards ..... 44

4.3.18 Entanglement and entrapment hazards ..... 44

    4.3.18.1 Entanglement ..... 44

4.3.18.2 Entrapment.....44

4.3.19 Abrasion hazards .....44

4.3.20 Miscellaneous hazards .....45

    4.3.20.1 Provisions, attachments, systems and/or accessories provided for the purpose of lifting materials....45

4.3.21 Radiation hazards .....45

    4.3.21.1 Ionizing radiation.....45

    4.3.21.2 Non-ionizing radiation .....45

4.4 Controls .....45

    4.4.1 Operator controls .....45

        4.4.1.1 Access controls .....45

        4.4.1.2 Unintended actuation .....46

        4.4.1.3 Identification .....46

        4.4.1.4 Jog control(s) .....46

        4.4.1.5 Mechanical controls .....46

            4.4.1.5.1 Hand wheels, direction of rotation.....46

            4.4.1.5.2 Levers, direction of motion.....46

        4.4.1.6 Multiple control stations .....46

            4.4.1.6.1 Setup control station .....47

            4.4.1.6.2 Multiple operators.....47

            4.4.1.6.3 Multiple operating stations, one operator .....47

            4.4.1.6.4 Multiple part loading .....47

    4.4.2 Emergency stop control .....47

        4.4.2.1 Application.....47

        4.4.2.2 Color .....48

        4.4.2.3 Accessibility .....48

        4.4.2.4 Function.....48

        4.4.2.5 Restart .....48

    4.4.3 Power-operated clamping.....48

    4.4.4 Control function .....48

4.5 Reserved for future use .....49

4.6 Hydraulics and pneumatics .....49

    4.6.1 Circuitry .....49

        4.6.1.1 Loss of control media .....49

        4.6.1.2 Rating.....49

        4.6.1.3 Pressure variations .....49

        4.6.1.4 Range of adjustment .....49

        4.6.1.5 Loss of pressure.....49

    4.6.2 Accumulators .....50

        4.6.2.1 Isolation or venting.....50

        4.6.2.2 Nonvented accumulator.....50

        4.6.2.3 Accumulator charged over 200 psig (.1406Kg/m<sup>2</sup>).....50

    4.6.3 Flexible hose.....50

    4.6.4 Circuits with maintained pressure .....50

4.7 Cutting tool retention.....50

    4.7.1 Cutting tool retention during rotation .....51

    4.7.2 Cutting tool retention during tool changing .....51

4.8 Material transfer components: .....51

    4.8.1 Robot.....51

    4.8.2 Material transfer .....51

4.9 Foot operated device.....51

4.9.1 Foot operated control device..... 51

4.10 Work support/loading height..... 52

4.11 Notice on manuals ..... 52

4.12 Arbor/spindle design ..... 52

    4.12.1 Arbor/spindle ..... 52

    4.12.2 Size of arbor/spindle ..... 52

    4.12.3 Direction of the arbor/spindle thread..... 52

    4.12.4 Length of arbor/spindle thread..... 53

4.13 Operating speed..... 53

    4.13.1 Design and material of saw blade flanges..... 53

    4.13.2 Opposing flanges..... 54

4.14 Drive pins..... 54

4.15 Tool/workpiece coasting hazard..... 54

4.16 Excessive speed of cutter rotation..... 54

4.17 Access door/cover ..... 54

4.18 Limiting speed for a rotating cutting tool ..... 55

4.19 Warnings, safety signs and labels ..... 55

    4.19.1 Colors ..... 55

    4.19.2 Safety signs..... 55

    4.19.3 Safety symbols..... 55

    4.19.4 On-product warnings ..... 55

    4.19.5 Temporary hazards..... 55

**5 Requirements for specific machines and special devices..... 56**

5.1 Band and jig saws ..... 56

    5.1.1 Vertical band saw ..... 56

        5.1.1.1 Blade guide(s) ..... 56

        5.1.1.2 Upper blade guide adjustment..... 56

        5.1.1.3 Guarding of the saw blade..... 56

        5.1.1.4 Guarding of the band wheels ..... 57

        5.1.1.5 Wheel coasting hazard ..... 57

        5.1.1.6 Saw blade tension..... 57

        5.1.1.7 Saw blade width ..... 57

        5.1.1.8 Instructions on minimum radius operations ..... 57

        5.1.1.9 A small or difficult-to-hold workpiece ..... 57

        5.1.1.10 Feed rolls ..... 58

        5.1.1.11 Rip fence locking..... 58

    5.1.2 Scroll/jig saw ..... 58

        5.1.2.1 Blade guarding..... 58

        5.1.2.2 Workpiece hold down ..... 58

        5.1.2.3 Pinch points ..... 58

5.2 Circular saw..... 58

    5.2.1 Table saw..... 58

        5.2.1.1 Guarding of saw blade beneath and behind the table ..... 59

        5.2.1.2 Blade guard..... 59

            5.2.1.2.1 Design ..... 59

            5.2.1.2.2 Mounting ..... 59

- 5.2.1.3 Narrow ripping cut .....60
  - 5.2.1.3.1 Push stick .....60
  - 5.2.1.3.2 Special fixture .....60
- 5.2.1.4 Spreader .....60
  - 5.2.1.4.1 Design .....60
  - 5.2.1.4.2 Mounting .....60
  - 5.2.1.4.3 Location .....61
  - 5.2.1.4.4 Use .....61
- 5.2.1.5 Anti-kickback device .....61
- 5.2.1.6 Rip fence .....62
- 5.2.1.7 Miter gauge .....62
- 5.2.2 Power feed rip saw .....62
  - 5.2.2.1 Hood and guard .....62
  - 5.2.2.2 Adjustment of power feed .....62
  - 5.2.2.3 Chain feed bed .....63
  - 5.2.2.4 Side guarding .....63
  - 5.2.2.5 Anti-kickback device .....63
- 5.2.3 Cut-off saw .....63
  - 5.2.3.1 General requirements .....63
    - 5.2.3.1.1 Blade guard .....63
    - 5.2.3.1.2 Saw carriage return .....63
    - 5.2.3.1.3 Operating controls .....64
    - 5.2.3.1.4 Travel limit .....64
  - 5.2.3.2 Under table cut-off saw .....64
    - 5.2.3.2.1 Saw blade guarding .....64
    - 5.2.3.2.2 Work holding means .....64
  - 5.2.3.3 Over table cut-off saw .....64
    - 5.2.3.3.1 Saw blade guarding .....64
    - 5.2.3.3.2 Direction of rotation .....65
- 5.2.4 Panel saw .....65
  - 5.2.4.1 Saw blade guarding .....65
  - 5.2.4.2 Stock holding means .....65
- 5.2.5 Radial arm saw .....65
  - 5.2.5.1 Saw blade hood .....65
  - 5.2.5.2 Lower blade guard .....66
    - 5.2.5.2.1 Lower blade guard instructions .....66
    - 5.2.5.2.2 Lower saw blade guard use .....66
  - 5.2.5.3 Direction of rotation .....66
  - 5.2.5.4 Fence .....66
  - 5.2.5.5 Adjustable stop .....67
  - 5.2.5.6 Travel limit .....67
  - 5.2.5.7 Anti-roll out .....67
  - 5.2.5.8 Saw carriage return .....67
  - 5.2.5.9 Ripping operation .....67
    - 5.2.5.9.1 Hold down device .....67
    - 5.2.5.9.2 Anti-kickback device .....67
    - 5.2.5.9.3 Spreader .....68
    - 5.2.5.9.4 Push stick .....68
    - 5.2.5.9.5 Special fixture .....68
    - 5.2.5.9.6 Direction of feed .....68
- 5.3 Cylindrical cutter machines .....68
  - 5.3.1 Jointer .....68

- 5.3.1.1 Cutterhead design .....68
- 5.3.1.2 Knife projection .....68
- 5.3.1.3. Blade retention.....69
- 5.3.1.4 Front of fence cutterhead guarding .....69
- 5.3.1.5 Cutterhead guarding behind the fence .....69
- 5.3.1.6 Throat area .....69
- 5.3.1.7 Table position locking .....69
- 5.3.1.8 Fence position .....69
- 5.3.1.9 Safety instructions .....70
- 5.3.1.10 Push block.....70
- 5.3.1.11 Special operations .....70
- 5.3.2 Molder/multiple head planer.....70
  - 5.3.2.1 Guarding the cutterhead .....70
  - 5.3.2.2 Feeding mechanisms .....70
  - 5.3.2.3 Safety instructions.....71
- 5.3.3 Planer, single or two surface .....71
  - 5.3.3.1 Guarding of the cutterhead.....71
  - 5.3.3.2 Cutterhead design .....71
  - 5.3.3.3 Feeding means.....71
  - 5.3.3.4 Multiple board surfacing .....71
  - 5.3.3.5 Safety instructions.....71
  - 5.3.3.6 Depth of cut limitation .....72
  - 5.3.3.7 Special fixtures.....72
- 5.3.4 Router.....72
  - 5.3.4.1 Manual/automatic spindle router .....72
    - 5.3.4.1.1 Cutter safeguarding .....72
    - 5.3.4.1.2 Tool locking means .....72
    - 5.3.4.1.3 Dust and chip collection .....72
  - 5.3.4.2 Automatic spindle router .....73
    - 5.3.4.2.1 Exposed moving machine parts.....73
- 5.3.5 Shaper .....73
  - 5.3.5.1 Single spindle manual feed shaper .....73
    - 5.3.5.1.1 Spindle/arbor.....73
    - 5.3.5.1.2 Braking.....73
    - 5.3.5.1.3 Vibration .....73
    - 5.3.5.1.4 Table opening .....73
    - 5.3.5.1.5 Straight line shaping .....74
      - 5.3.5.1.5.1 Adjustable fence .....74
      - 5.3.5.1.5.2 Guarding the cutting tool .....74
      - 5.3.5.1.5.3 Workpiece holding/guiding device .....74
      - 5.3.5.1.5.4 Stop blocks.....74
    - 5.3.5.1.6 Contour shaping.....75
      - 5.3.5.1.6.1 Starting pin/block .....75
      - 5.3.5.1.6.2 Collars .....75
      - 5.3.5.1.6.3 Guarding the cutting tool .....75
    - 5.3.5.1.7 Special instructions.....75
  - 5.3.5.2 Multiple spindle manual feed shaper .....76
    - 5.3.5.2.1 Stop-start controls.....76
  - 5.3.5.3 Automatic straight line shaper .....76
    - 5.3.5.3.1 Guarding of cutter(s) .....76
    - 5.3.5.3.2 Workpiece clamping .....76
    - 5.3.5.3.3 Power feed.....76
  - 5.3.5.4 Rotary table shaper .....76

5.3.5.4.1 Guarding of cutter(s) ..... 76

5.3.5.4.2 Work holding means ..... 76

5.3.5.4.3 Limited access ..... 77

5.3.6 Tenoner/trim saw ..... 77

5.3.6.1 Guarding the cutting tools ..... 77

5.3.6.2 Guarding of power feed means ..... 77

5.3.6.3 Emergency shutdown device ..... 77

5.3.6.4 Braking means ..... 77

5.3.7 Miscellaneous cylindrical cutter machines ..... 77

5.4 *Drilling/boring/mortising machine* ..... 78

5.4.1 Point-of-operation area safeguarding on a manually operated machine ..... 78

5.4.2 Point-of-operation area safeguarding on a semiautomatic or automatic machine ..... 78

5.4.3 Workpiece(s) clamping ..... 78

5.5 *Wood lathe* ..... 78

5.5.1 Guarding a rotating cutter ..... 78

5.5.2 Guarding a rotating workpiece ..... 79

5.5.3 Guarding a trapping space ..... 79

5.5.4 Tool rest ..... 79

5.5.5 Work support(s) ..... 79

5.6 *Sander* ..... 79

5.6.1 Workpiece support ..... 79

5.6.2 Nip point(s) ..... 80

5.6.3 Never used run of sanding belt ..... 80

5.6.4 Feed rolls ..... 80

5.6.5 Pressure points ..... 80

5.6.6 Transport means ..... 80

5.6.7 Unexpected ejection ..... 80

5.6.8 Anti-kickback device(s) ..... 81

5.7 *Miscellaneous and combination machines* ..... 81

5.7.1 Miscellaneous machines ..... 81

5.7.2 Combination or multiple function machine ..... 81

5.8 *Reserved for Future Use* ..... 81

5.9 *Special device(s) provided by the employer* ..... 81

5.9.1 Responsibility ..... 81

5.9.2 Anti-kickback device ..... 81

5.9.3 Manual work feeding device ..... 82

5.9.4 Work holding and/or guiding device ..... 82

5.9.4.1 Attachment means ..... 82

5.9.4.2 Workpiece retention ..... 82

5.9.4.3 Power clamping ..... 82

5.9.4.4 Weight specification and handling ..... 82

5.9.4.5 Workpiece loading device ..... 83

5.9.5 Work guiding means ..... 83

5.9.5.1 Template ..... 83

5.9.5.2 Fixture as a work guide ..... 83

5.9.6 Special tooling ..... 83

5.9.7 Blade retention ..... 83

5.9.8 Safety instructions ..... 84

6 Care and maintenance ..... 84