

STANDARDS AND INFORMATION DOCUMENTS

AES-R8-2015
(rev. AES-R8-2007)



AES standards project report - Synchronisation of digital audio over wide areas

Users of this standard are encouraged to determine if they are using the latest printing incorporating all current amendments and editorial corrections. Information on the latest status, edition, and printing of a standard can be found at:
<http://www.aes.org/standards>

AUDIO ENGINEERING SOCIETY, INC.
551 Fifth Avenue, New York, NY 10176. US



The AES Standards Committee is the organization responsible for the standards program of the Audio Engineering Society. It publishes technical standards, information documents and technical reports. Working groups and task groups with a fully international membership are engaged in writing standards covering fields that include topics of specific relevance to professional audio. Membership of any AES standards working group is open to all individuals who are materially and directly affected by the documents that may be issued under the scope of that working group.

Complete information, including working group scopes and project status is available at <http://www.aes.org/standards>. Enquiries may be addressed to standards@aes.org

The AES Standards Committee is supported in part by those listed below who, as Standards Sustainers, make significant financial contribution to its operation.



THE TELOS ALLIANCE®



audio-technica



CLAIR



WEISS



This list is current as of 2017/7/25

This is a preview. Click here to purchase the full publication.

AES standards project report - Synchronisation of digital audio over wide areas

Published by

Audio Engineering Society, Inc.

Copyright © 2007, 2015 by the Audio Engineering Society

Abstract

When several digital signals are combined in a mixing desk or other equipment, they must share the same sample clock. If all the signals originate within the same studio, it is sufficient to synchronise all the equipment within that studio. With the introduction of transmission of signals in digital form between studios, the problem takes on a new dimension.

An AES report implies a consensus of those directly and materially affected by its provisions who have approved it as representing the views of their AESSC subcommittee but not of the AES as a whole. It is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an AES report does not in any respect preclude anyone, whether or not he or she has approved the document, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in agreement with the report. Publication does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties using the report. This document is subject to periodic review and users are cautioned to obtain the latest edition.

Audio Engineering Society Inc. 551 Fifth Avenue, New York, NY 10176, US.

www.aes.org/standards standards@aes.org



2015-09-21 printing

This is a preview. [Click here to purchase the full publication.](#)

Contents

| | |
|--|-----------|
| 1 Scope | 4 |
| 2 Background | 4 |
| 2.1 Basic synchronisation | 4 |
| 2.2 Re-alignment of received samples | 4 |
| 2.3 Synchronisation distribution within a studio complex | 5 |
| 2.4 Signal distribution over Wide Area Network (WAN) | 5 |
| 2.5 Points at which synchronisation may be an issue | 5 |
| 2.6 Phase vs. frequency synchronisation | 6 |
| 2.7 Sending interface | 6 |
| 2.8 Receiving interface | 6 |
| 2.9 Varispeed | 7 |
| 3 Clock synchronisation scenarios | 7 |
| 3.1 Sender and receiver unsynchronised. | 7 |
| 3.2 Receiver clock recovered from the data stream | 7 |
| 3.3 Sender clock recovered from the reverse data stream | 7 |
| 3.4 Sender and receiver use a common reference | 8 |
| 3.5 Method of synchronisation to GPS | 8 |
| 4 Indication of synchronisation history | 8 |
| 5 Monitoring of faults | 9 |
| Annex A - Bibliography | 10 |

