



UL 66

STANDARD FOR SAFETY

Fixture Wire

UL Standard for Safety for Fixture Wire, UL 66

Second Edition, Dated June 8, 2018

Summary of Topics:

This revision of ANSI/UL 66 dated November 4, 2020 includes the following:

- Addition of FFHH-2 Throughout the Standard; [1.1](#), [Table 4.7](#), [Table 4.8](#), [Table 6.1](#), [Table 6.2](#), [10.1.1](#), [10.1.4](#), [10.3.1.1](#), [Table 10.2](#) – [Table 10.6](#), [Table 13.1](#), [18.1](#), [Section 20A](#), and [Table 25.1](#); Updated References to UL 2556; [3.1](#), [6.7.1](#), [6.7.2](#), [7.1](#), [8.1.3](#), [8.2.1.2](#), [8.2.2.4](#), [8.3.2](#), [9.1](#), [10.3.2.1](#), [11.1](#), [12.1](#), [12.3](#), [13.1](#), [14.1](#), [14.2](#), [16.1](#), [17.1](#), [19.1](#), and [20.1](#); Revised Oil Test Temperatures in [Table 26.1](#)***
- Oven Definition, Revised [8.2.1.2](#), [10.3.2.1](#), [Table 14.1](#) and [20.2](#)***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated July 17, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

JUNE 8, 2018
(Title Page Reprinted: November 4, 2020)



ANSI/UL 66-2020

1

UL 66

Standard for Fixture Wire

First Edition – April, 2002

Second Edition

June 8, 2018

This ANSI/UL Standard for Safety consists of the Second Edition including revisions through November 4, 2020.

The most recent designation of ANSI/UL 66 as an American National Standard (ANSI) occurred on November 4, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

| | | |
|---|----------------------------|---|
| 1 | Scope | 5 |
| 2 | Units of Measurement | 5 |
| 3 | References | 5 |
| 4 | Index Tables | 5 |

CONSTRUCTION

| | | |
|------|--|----|
| 5 | Materials | 18 |
| 6 | Conductor..... | 18 |
| 6.1 | Metal | 18 |
| 6.2 | Sizes | 18 |
| 6.3 | Stranding | 18 |
| 6.4 | Size verification | 19 |
| 6.5 | Continuity | 20 |
| 6.6 | Joints..... | 20 |
| 6.7 | Metal coating..... | 20 |
| 7 | Separator | 20 |
| 8 | Insulation..... | 21 |
| 8.1 | Material and application | 21 |
| 8.2 | Properties | 22 |
| 8.3 | Thicknesses..... | 23 |
| 9 | Jacket on Types TFN and TFFN | 23 |
| 10 | Covering on Other Wire Types..... | 23 |
| 10.1 | Elective braid on Types TF, TFF, and RFHH-2 and on XL-insulated Types RFHH-3, RFH-2, FFH-2, and FFHH-2 | 23 |
| 10.2 | Braid or other covering on Types PF, PFF, PGF, PGFF, SF-1, SF-2, SFF-1, and SFF-2 .. | 24 |
| 10.3 | Extruded covering on silicone-insulated Type RFHH-3 and braid, wrap, or extruded covering on rubber-insulated Types RFH-2, FFH-2, and FFHH-2 | 24 |

PERFORMANCE

| | | |
|-----|---|----|
| 11 | Continuity Test of Conductor..... | 30 |
| 12 | D-C Resistance Test of Conductor | 31 |
| 13 | Spark Test | 33 |
| 14 | Deformation Test..... | 33 |
| 15 | Cold Bend Test..... | 34 |
| 16 | Test for Insulation Resistance at 60.0°F (15.6°C) | 36 |
| 17 | Flame Tests for VW-1 Wire..... | 38 |
| 18 | Vertical Flame Test | 38 |
| 19 | Flexing Test of Nylon Jacket on Types TFN and TFFN..... | 38 |
| 20 | Durability Test of Ink Printing | 38 |
| 20A | Braid Rupture on Types TF, TFF, and RFHH-2 and on XL-insulated Types RFHH-3, RFH-2, FFH-2 and FFHH-2..... | 38 |

MARKINGS

| | | |
|----|---|----|
| 21 | Polarity Identification | 39 |
| 22 | Legibility of Printing | 39 |
| 23 | Sequence of Printed Markings..... | 39 |
| 24 | Responsible Organization and Factory Identification | 39 |
| 25 | Temperature Identification..... | 41 |